QUICK REFERENCE GUIDE > DD24SV2T9 N

Series 9, Professional Tall Single DishDrawer Dishwasher

Series 9 | Professional

Stainless Steel




Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, for loading dishes with less bending.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading.

Flexible racking can be folded down to fit bigger dishes

DIMENSIONS

Height	17 7/8 "
Width	23 9/16 "
Depth	22 3/4 "



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Complementary design

DishDrawer™ Dishwashers can be installed in any kitchen space and are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket • true

Capacity and loading

Accommodates round plates up to	12.25"
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

Consumption

QUICK REFERENCE GUIDE > DD24SV2T9 N Date: 02.05.2025 > 2

Energy rating	Energy star	Amperage	5A	Wash programs	6	
Energy usage	144kWh/year	Electric circuit	3			
In-use energy carbon emissions estimate	50.8kgCO2e/year	Rated current	15 A			
Water usage (per wash cycle)	1.64 gal	Supply frequency	60Hz	Water connection		
		Supply voltage	100 - 120V	Inlet water temperature	Max 140 °F	
Controls				Supplied hose to suit 3/8" (9mm) male compression fitting	•	
Electronic fault/Diagnostic indicator	•	Product Dimensions		Water pressure	30kPa - 1000 kPa	
End of cycle beeps	•	Depth	22 3/4 "	Water supply	3/8" to suit Male Compression	
Energy saving delay start option of up to 12	•	Height	17 7/8 "		Fitting	
hours		Width	23 9/16 "			
Internal wash selector	•					
Keylock	•		-			
One button start	•	Safety and compliance		SKU	82346	
Rinse aid indicator light	•	ADA compliant	•			
Smart appliance	•	ADA COMPIIANT	·	The product dimensions and specifications in this	page apply to the specific	
Features Fan assisted drying	•	Wash Program Modifiers Extra Dry	•	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Flood protection	•	Quick	•			
Flow through detergent dispenser	•	Sanitise	•	Other product downloads available at fish	ornavkol com	
Motor type	BLDC	Wash modifiers	3	other product downloads available at hish	er payker.com	
Quiet operation	•	-		Energy Label Single DishDrawer™ Dish	shwasher	
SmartDrive [™] technology	•	Wash Programs		↓ Installation Guide EN		
Performance		Delicate Eco	:	 ↓ Installation Guide Single DishDrawer ↓ Quick Start Guide (English) ↓ Revit Single DishDrawer™ Dishwashe 		
Noise emissions	42 dBA	Fast	•	Rhino Single DishDrawer™ Dishwashe	er	
		Heavy	•	Sketchup Single DishDrawer™ Dishwa	asher	
		Medium	•	User Guide (English)		
Power Requirements		Rinse	•	\underline{ullet}		

QUICK REFERENCE GUIDE > DD24SV2T9 N Date: 02.05.2025 > 3

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com