

# 30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry

- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "

## FEATURES & BENEFITS

### Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

### Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

### Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## SPECIFICATIONS

### Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Full extension telescopic shelves	2 sets (part 578776)

### Accessories (sold separately)

Kick strip, black (optional)	KICKOR30B1
Kick strip, red (optional)	KICKOR30R1
Kick strip, stainless steel (optional)	KICKOR30X1
Kick strip, white (optional)	KICKOR30W1
Wok grate included	N/A

### Capacity

Shelf positions	7
Total capacity	3.5 cu ft
Usable capacity	2.9 cu ft

<b>Cleaning</b>		Automatic rapid pre-heat	•	<b>Product Details</b>	
Acid resistant graphite enamel	•	Electronic oven control	•	Self Cleaning Sf	Yes
Drop down grill element	•	Full extension telescopic sliding shelves	•		
Flat easy clean glass surface	•	Soft open/close door	•		
Pyrolytic proof shelf runners	•	True convection	•	<b>Product Dimensions</b>	
Pyrolytic self-clean	•			Depth	25 1/4 "
Removable oven door	•	<b>Oven functions</b>		Height	35 3/4 - 37 5/8 "
Removable shelf runners	•			Width	29 7/8 "
		Aero Broil	•		
<b>Controls</b>		Aero™ Bake	•	<b>Rangetop features</b>	
Audio feedback	•	Aero™ Pastry with Pizza mode	•	Auto heat reduce	•
Automatic cooking/minute timer	•	Bake	•	Gentle heat	•
Automatic pre-set temperatures	•	Number of functions	9	Heat settings	9
Celsius/Fahrenheit temperature	•	Pyrolytic self-clean	•	Induction cooking technology	•
Electronic clock	•	Rapid proof	•		
High resolution display	•	Roast	•	<b>Rangetop Performance</b>	
Laser etched graphics	•	True Aero	•	PowerBoost	•
Precise electronic temperature control	•	True convection	•		
Sabbath mode	•	<b>Oven performance</b>			
Toughened fused glass graphics	•	Broil power	4050 W	<b>Safety</b>	
Turned stainless steel clock buttons	•	CoolTouch door	Triple glazed	ADA compliant	•
Turned stainless steel dials with illuminated halos	•	Warming drawer power	220 W	Advanced cooling system	•
				Anti-tilt bracket	•
<b>Main oven functions</b>		<b>Power Requirements</b>		Balanced oven door	•
Warm	•	Connection	4-prong [NEMA 14-50P power cord]	Catalytic venting system	•
		Service	40 A	Child lock	•
<b>Oven features</b>		Supply	120 / 240 V or 120 / 208 V, 60 Hz	CoolTouch door	•
				Full extension telescopic sliding shelves	•
				Non-tip shelves	•

Pan detection system	•
Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU	81962
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓](#) Service & Warranty
- [↓](#) Installation Guide EN
- [↓](#) Revit Induction Range
- [↓](#) Rhino Induction Range
- [↓](#) Sketchup Induction Range
- [↓](#) User Guide Freestanding Range EN

Where applicable: