

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready




Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, integrating seamlessly.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	17 7/8 "
Width	23 9/16 "
Depth	21 3/4 "



SPECIFICATIONS

Accessories (included)

- | | |
|----------------------------------|---|
| Cutlery basket | • |
| Knife clip and multipurpose clip | • |

Accessories (sold separately)

Door panel recessed handle matte black glass	ADDD24STZB
Door panel recessed handle stainless steel	ADDD24STNX
Door panel stainless steel	ADDD24STPX
Handle kit Classic	AHCL-DDDW-24X
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5-OBDD-60SX
Handle kit Contemporary square fine, black	AHD5-OBDD-60SB
Handle kit Professional round flush	AHP3-DWDD-SX
Handle kit Professional round flush, Brass off-stands	AHP3DDDW24BA
Handle kit Professional round flush, Dark Copper off-stands	AHP3DDDW24DC

Capacity and loading

Accommodates round plates up to	12.25"
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

Consumption

Energy usage	152kWh/year
In-use energy carbon emissions estimate	53.6kgCO2e/year
Water usage (per wash cycle)	1.79 gal

Controls

Electronic fault/Diagnostic indicator	•	Product Dimensions		Water supply	3/8" to suit Male Compression Fitting
End of cycle beeps	•	Depth	21 3/4 "		
Energy saving delay start option of up to 12 hours	•	Height	17 7/8 "		
Internal wash selector	•	Width	23 9/16 "		
Keylock	•			SKU	82340
Knock to pause	•	Safety and compliance			
Rinse aid indicator light	•	ADA compliant	•		
Smart appliance	•				
					The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Features		Wash Program Modifiers			Other product downloads available at fisherpaykel.com
Built-in water softener	•	Extra Dry	•	↓	2D-DWG Integrated Single DishDrawer™ Dishwasher
Fan assisted drying	•	Quick	•	↓	2D-DXF Integrated Single DishDrawer™ Dishwasher
Flow through detergent dispenser	•	Sanitise	•	↓	Data Sheet Integrated Single DishDrawer™ Dishwasher
Motor type	BLDC	Wash modifiers	3	↓	Energy Label Integrated Single DishDrawer™ Dishwasher
Quiet operation	•			↓	Installation Guide DishDrawer™ Dishwasher Venting Kit EN
SmartDrive™ technology	•			↓	Installation Guide EN
		Wash Programs		↓	Installation Guide FR
		Delicate	•	↓	Planning Guide Integrated Single DishDrawer™
		Eco	•	↓	Planning Guide Professional Style Dial/Handle Accessories
		Fast	•	↓	Quick Start Guide
		Heavy	•	↓	Revit Single DishDrawer™ Dishwasher
		Medium	•	↓	Rhino Single DishDrawer™ Dishwasher
		Rinse	•	↓	Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
		Wash programs	6	↓	Sketchup Single DishDrawer™ Dishwasher
				↓	Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
Performance		Water connection		↓	User Guide DishDrawer™ Dishwasher EN
Noise emissions	43 dBA	Supplied hose to suit 3/8" (9mm) male compression fitting	•		
		Water pressure	100kPa - 1000kPa		
Power Requirements					
Amperage	5A				
Electric circuit	3				
Rated current	15 A				
Supply frequency	60Hz				
Supply voltage	100 - 120V				

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com