

## Dishwasher, 24" SHV68R53UC



SGZ1005UC	S Steel door with handle for dishwasher
SGZ1006UC	stainless steel door with handle
SGZ1007UC	stainless steel handle (curved)
SGZ1010UC	Drain hose extension kit
SGZ1052UC	Dishwasher Accessory Kit
SGZPC001UC	Powercord kit
SMZ5002UC	Silverware box

- **10 years warranty:** our promise against rust-through.
- **24/7 Overflow Protection System® helps prevent water leaks.**
- **Custom Panel Dishwashers:** seamlessly integrate your Bosch custom panel dishwasher into your kitchen by matching it to your kitchen's custom cabinetry.
- **PureDry®:** Our energy efficient drying system allows you to safely place plastics anywhere, even on the bottom rack, without fear of melting.

Number of Options: .....	3
Number of options: .....	6
3rd rack: .....	None
Tub Material: .....	Stainless Steel
Concealed heating element: .....	Yes
Leak protection system: .....	Aqua Stop
Five-level wash: .....	Yes
Water Softener: .....	No
ChildLock: .....	No
Total Annual Energy Consumption: .....	234 kWh
ENERGY STAR® certified: .....	Yes
Number of Place Settings: .....	14



4 242002 660813

## Dishwasher, 24" SHV68R53UC

### Key Features

- 44 dBA- Quietest Dishwasher Brand.
- Saves up to 280 gallons of water each year
- 800 Series Racks
- Red LCD Display
- Delicate Wash for Fine China

### Design

- Stainless Steel TallTub
- Real Stainless Steel Fascia Panel

### Performance

- InfoLight® Beams on Floor to Indicate Dishwasher is Running
- 4 Wash Cycles and 2 Options
- Sanitize Option eliminates bacteria and enhances drying results
- Variable Spray Pressure

### Efficiency

- 234 kWh/yr - Energy Star®
- Exceeds ENERGY STAR Requirements for Water by 69%
- EcoSense™ Reduces Energy Usage by up to 20%
- Half Load Option for small loads

### Convenience


- AquaStop® Leak Protection
- Multi-Function LED with Remaining Time
- 19 h Delay Start Timer
- Express Wash - In 30 Minutes or Less
- Delicate Wash for Fine China
- Rinse Cycle- Instead of PreRinsing

### Capacity

- 14 Place Setting Capacity
- RackMatic® Automatically Adjustable Upper Rack
- Duo-Flex Silverware Basket
- Extra Tall Item Sprinkler Cleans Items 22" Tall


## **Dishwasher, 24"**

### **SHV68R53UC**




\*\* measured from the bottom edge of the countertop panel thickness recommended 20 mm panel weight 9-18 lb

\*\*\* 610wide panel may be used depending on cabinet design measurements in mm




\*\* measured from the bottom edge of the countertop panel thickness recommended 3/4" panel weight 9-18 lb      \*\*\* 24" wide panel may be used depending on cabinet design      measurements in inches



- \* measured from the bottom edge of the countertop panel
- \*\* thickness recommended 20 mm, panel weight 4-8 kg
- \*\*\* 610 mm wide panel may be used depending on cabinet design

Measurements in mm



- \* measured from the bottom edge of the countertop panel
- \*\* thickness recommended 3/4", panel weight 9-18 lb
- \*\*\* 24" wide panel may be used depending on cabinet design

### Measurements in inches