

30" Series 9 Professional Compact Combi-Steam Oven

Series 9 | Professional

Stainless Steel




Reduce the need for oils and fats with steam cooking. The Combination Steam Oven's compact size is designed to pair with a Professional-style warming drawer underneath, creating the perfect interpretation of the bold design seen in a commercial kitchen.

- 1.3 cu ft total capacity
- Cooking flexibility with nine oven functions, including five Steam functions, Broil and Convection

- Steam cooking allows you to cook a food in its own juices, to retain nutrients and flavor
- Designed to match aesthetically with Professional-style companion products such as warming drawers, for flexible cooking configurations

DIMENSIONS

Height	18 1/2 "
Width	29 13/16 "
Depth	20 13/16 "



FEATURES & BENEFITS

Sized To Suit

This compact 30" Steam Oven can be placed almost anywhere. It can be installed at a convenient height to suit your kitchen design and preference, with room for a drawer underneath. The bold stainless steel styling is designed to match our Professional-style cooking products.

Simple To Use

An easy to use, intuitive display shows the time and provides useful information about functions along with a refill alert.

Easy Cleaning

Cleaning and care of the Steam Oven is simple. After each use, just wipe the smooth stainless steel interior with a dry cloth.

Safe And Sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

Easy Installation

Plug in and cook straight away. The Steam Oven is easy to install, with no plumbing needed.

Healthy Eating

The Steam Oven allows you to cook food in its own juices to retain nutrients and flavor. With nine oven modes, it doesn't just steam, but also has Broil and Fan functions.

SPECIFICATIONS

Accessories (included)

Baking pan	1
Perforated large steam dish	1
Wire shelf	1
Wired temperature sensor	1

Capacity

Shelf positions	3	Steam assist			The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
Total capacity	1.3 cu ft	Steam clean (oven)			
		True convection			
Cleaning		Performance		Other product downloads available at fisherpaykel.com	
Easy clean stainless steel interior		Broil power	1500 W	↓ 2D-DWG Steam Oven	
Removable water tank		SteamTechnology		↓ 2D-DXF Steam Oven	
Steam clean (oven)				↓ Archicad Steam Oven	
Controls		Power Requirements		↓ Data Sheet Steam Oven	
Audio feedback		Amperage	15 A	↓ Installation Guide Convection Steam Oven	
Automatic cooking/minute timer		Supply frequency	60 Hz	↓ Guide d'installation FR	
Celsius/Fahrenheit temperature		Supply voltage	120 / 208V - 120 / 240V V	↓ Planning Guide Professional Style Dial/Handle Accessories	
Delay start				↓ Revit Steam Oven	
Electronic clock		Product Dimensions		↓ Rhino Steam Oven	
Electronic oven control		Depth	20 13/16 "	↓ Sketchup Steam Oven	
Food probe		Height	18 1/2 "	↓ Guide d'utilisation FR	
Guided cooking by food type and recipes		Width	29 13/16 "		
Internal Light					
Intuitive touchscreen display					
Functions		Safety		Where applicable:	
Broil		ADA compliant		All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.	
Convection Broil		Control panel key lock		Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.	
Number of functions	9	CoolTouch door			
Ring + broil		Safety thermostat			
Steam + ring					
Steam 100 (100°C / 210°F)					
Steam 130 (130°C / 265°F)		SKU	81930		



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com