

# Series 9, Contemporary Tall Single DishDrawer Dishwasher

Series 9 | Contemporary




With internal controls for a clean exterior aesthetic. The top drawer will fit your large dinner plates easily.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading
- Flexible racking can be folded down to fit bigger dishes

## DIMENSIONS

Height	18 13/16 "
Width	23 9/16 "
Depth	22 9/16 "



## FEATURES & BENEFITS

### Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### Complementary design

DishDrawer™ Dishwashers can be installed in any kitchen space and are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials.

### Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## SPECIFICATIONS

### Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

### Capacity and loading

Accommodates round plates up to	12.25"
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings per drawer	7

### Consumption

Energy rating	Energy Star
Energy usage	144kWh/year
In-use energy carbon emissions estimate	50.8kgCO2e/year
Water usage (per wash cycle)	1.64 gal

<b>Controls</b>		<b>Product Dimensions</b>		Water supply		3/8" to suit Male Compression Fitting
Electronic fault/Diagnostic indicator	•	Depth	22 9/16 "			
End of cycle beeps	•	Height	18 13/16 "			
Energy saving delay start option of up to 12 hours	•	Width	23 9/16 "			
Internal wash selector	•			SKU	82344	
Keylock	•	<b>Safety and compliance</b>		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Rinse aid indicator light	•	ADA compliant	•			
Smart appliance	•			<b>Other product downloads available at fisherpaykel.com</b>		
<b>Features</b>		<b>Wash Program Modifiers</b>		<a href="#">↓</a> 2D-DWG Single DishDrawer™ Dishwasher		
Fan assisted drying	•	Extra Dry	•	<a href="#">↓</a> 2D-DXF Single DishDrawer™ Dishwasher		
Flood protection	•	Quick	•	<a href="#">↓</a> Data Sheet Single DishDrawer™ Dishwasher		
Flow through detergent dispenser	•	Sanitise	•	<a href="#">↓</a> Energy Label Single DishDrawer™ Dishwasher		
Motor type	BLDC	Wash modifiers	3	<a href="#">↓</a> Installation Guide (English)		
Quiet operation	•			<a href="#">↓</a> Quick Start Guide (English)		
SmartDrive™ technology	•	<b>Wash Programs</b>		<a href="#">↓</a> Revit Single DishDrawer™ Dishwasher		
<b>Performance</b>		Delicate	•	<a href="#">↓</a> Rhino Single DishDrawer™ Dishwasher		
Noise emissions	42 dBA	Eco	•	<a href="#">↓</a> Right To Repair Declaration (English, Canadian French)		
<b>Power Requirements</b>		Fast	•	<a href="#">↓</a> Sketchup Single DishDrawer™ Dishwasher		
Amperage	5A	Heavy	•	<a href="#">↓</a> User Guide (English)		
Electric circuit	3	Medium	•	<a href="#">↓</a>		
Rated current	15 A	Rinse	•	<b>Where applicable:</b>		
Supply frequency	60Hz	Wash programs	6			
Supply voltage	100 - 120V	<b>Water connection</b>				
		Supplied hose to suit 3/8" (9mm) male compression fitting	•			
		Water pressure	30kPa - 1000 kPa			

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)