QUICK REFERENCE GUIDE > OR30SCG6X1

30" Series 9 Classic 4 Burner Dual Fuel Self-Cleaning Range

Series 9 | Classic




Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a convection oven with 9 functions.

- Four burner gas cooktop with two dual wok burners
- Convection oven with 3.5 cu.ft total capacity and nine oven functions including Roast, Aero Pastry™ with pizza mode and rapid proof for baking bread
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "



FEATURES & BENEFITS

Multi-Shelf Cooking

Our AeroTech $^{\text{m}}$ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and glowing halo dials all add up to an exceptional, premium range.

Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

•

Full extension telescopic shelves 2 sets (part 578776)

Small pot support 1 (part 533981 cast)

Accessories (sold separately)

Hob rear trim 3 1/8"" (part 84656)

Kick strip, black (optional) KICKOR30B1

Kick strip, red (optional) KICKOR30R1

Kick strip, stainless steel (optional)	KICKOR90X1	Audio feedback	•	Aero™ Bake	•
Kick strip, white (optional)	KICKOR30W1	Automatic cooking/minute timer	•	Aero™ Pastry with Pizza mode	•
		Automatic pre-set temperatures	•	Number of functions	9
		Celsius/Fahrenheit temperature	•	Rapid proof	•
Burner ratings		Electronic clock	•	Roast	•
Dual wok burner inner/outer (LPG)	1000 - 18000BTU	High resolution display	•	True convection	•
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU	Laser etched graphics	•		
Maximum burner power	18000 BTU	Precise electronic temperature control	•		
Semi-rapid burner (LPG)	1500 - 7600BTU	Sabbath mode	•	Oven performance	
Semi-rapid burner (natural gas)	1500 - 8000BTU	Turned stainless steel clock buttons	•	Broil power	4050 W
Total cooktop power	52000 BTU			CoolTouch door	Triple glazed
		Gas Requirements		Warming drawer power	220 W
Capacity		·			
		Supply Pressure (LPG)	11" W.C.P	Power Requirements	
Shelf positions	7	Supply Pressure (natural gas)	4" W.C.P		
Total capacity	3.5 cu ft			Connection	4-prong grounding type
Usable capacity	2.9 cu ft	Oven features			[NEMA 14-50P plug]
		AeroTech™ technology	•	Service	40 A
Cleaning		Auto re-ignition system	•	Supply frequency	60 Hz
Acid resistant graphite enamel	•	Automatic rapid pre-heat	•	Supply voltage	208 - 240 V
Drop down broil element	•	Bright chromed, cast zinc dials with	•		
Drop down grill element	•	illuminated halos			
Flat easy clean glass surface	•	Concealed element	•	Product Dimensions	
Pyrolytic proof shelf runners	•	Electronic oven control	•	Depth	25 1/4 "
Pyrolytic self-clean	•	Full extension telescopic sliding shelves	•	Height	35 3/4 - 37 5/8 "
Removable oven door	•	Soft open/close door	•	Width	29 7/8 "
Removable shelf runners	•	True convection	•		
		Turned stainless steel clock dial	•	Dan makan fashin	
				Rangetop features	
Controls		Oven functions		Brass burner spreader (power burner) •	
				Embossed brass burner cap (power burner) •	

QUICK REFERENCE GUIDE > OR30SCG6X1 Date: 15.09.2025 > 3

Hob rail	•
LPG / Natural Gas compatible	•
Sealed range top	•

Safety

. . . .

ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	45.42 L
Spill containment	1/2 gallon

SKU 81717

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DXF Dual Fuel Range
- Data Sheet Free Standing Range
- Installation Guide EN

- Guide d'installation FR
 Revit Dual Fuel Range
- ↓ Rhino Dual Fuel Range
- → Right To Repair Declaration (English, French)
- ↓ Sketchup Dual Fuel Range

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

 ${f T}$ 1.888.936.7872 ${f W}$ www.fisherpaykel.com