

30" Series 7 Contemporary 4 Burner Gas Range, Natural Gas

Series 7 | Contemporary




Add contemporary style to your kitchen, and enjoy the instant response and precision of a gas-fueled oven and cooktop.

- Four burner gas cooktop, with two dual ring wok burners
- Gas oven with 3.5 cu ft total capacity
- Three oven functions: Bake, Convection Bake and Maxi Broil

DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "



FEATURES & BENEFITS

Design Quality
Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

Large Capacity Oven
The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Easy Cleaning
With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)	
2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578776)
Grill rack	TRUE
Small pot support	1 (part 533981 cast)

Accessories (sold separately)	
Kick strip, stainless steel (optional)	KICKOR30X1
Wok grate included	Yes

Burner ratings	
Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural gas)	1500 - 8000BTU

Total cooktop power	52000 BTU	Soft open/close door	•	Rangetop features	
		Storage drawer	•	Hob rail	•
Capacity				LPG / Natural Gas compatible	•
Shelf positions	7	Oven functions		Sealed range top	•
Total capacity	3.5 cu ft	Bake	•		
Usable capacity	2.7 cu ft	Convection bake	•	Safety	
		Maxi Broil	•	ADA compliant	•
Cleaning		Number of functions	3	Advanced cooling system	•
Acid resistant graphite enamel	•			Anti-tilt bracket	•
Dishwasher proof trivets	•	Oven performance		Balanced oven door	•
Removable oven door	•	Bake power	14000 BTU	CoolTouch door	•
Removable shelf runners	•	Broil	11000 BTU	Full extension telescopic sliding shelves	•
		CoolTouch door	Triple glazed	Non-tip shelves	•
				Spill containment	1/2 gallon
Controls					
Laser etched graphics	•	Power Requirements			
		Connection	3-prong grounding type [NEMA 5-15P plug]	SKU	82763
Gas Requirements					
Supply Pressure (LPG)	11" W.C.P	Service	15 A	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
Supply Pressure (natural gas)	4" W.C.P	Supply frequency	60 Hz		
		Supply voltage	120 V		
Oven features		Product Dimensions		Other product downloads available at fisherpaykel.com	
Auto re-ignition system	•	Depth	25 1/4 "		
Concealed element	•	Height	35 3/4 - 37 5/8 "		
Convection	•	Width	29 7/8 "		
Electronic ignition	•			↓	2D-DWG Gas Range
Full extension telescopic sliding shelves	•			↓	2D-DXF Gas Range
				↓	Data Sheet Gas Range

- [↓](#) Installation Guide EN
- [↓](#) Guide d'installation FR
- [↓](#) Revit Electric Range
- [↓](#) Rhino Electric Range
- [↓](#) Right To Repair Declaration (English, French)
- [↓](#) Sketchup Electric Range
- [↓](#) User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com