



Front Load Perfect Steam™ Washer with LuxCare® Wash - 5.2 Cu.Ft.

I.E.C

Front Load Washer

Version: 10/25

Product Specifications				
Washer		Machay Cyalos		
	TA T	Washer Cycles	7	
Drum Light	No Stainless Stanl	Cycle Count Clean Washer	· · · · · · · · · · · · · · · · · · ·	
Orum Material	Stainless Steel		Yes	
Maximum Spin Speed	1300 RPM	Delicates	Yes	
Vater Heater	Yes	Fast Wash	Yes	
Water Level Adjustment	Yes	Heavy Duty	Yes	
		Normal	Yes	
Washer Options		Rinse and Spin	Yes	
Delay Start Time	1-12 Hours	Whitest Whites	Yes	
extended Refresh	Yes			
Extra Rinse	Yes	Soil Levels		
erfect Steam	Yes	Extra Light	Yes	
tain Treat	Yes	Light	Yes	
Steam	Yes	Normal	Yes	
		Heavy	Yes	
Washer Spin Speeds		Solid Soil	Yes	
pin Speed Selections	5			
Max	Yes	Controls		
ligh	Yes	Cancel	Yes	
Medium	Yes	Control Lock	Yes	
.OW	Yes	Cycle Status Lights	Yes	
No Spin	Yes	Delay Start	Yes	
140 Opin	100	Pause Function	Yes	
Temperature Settings		Power On/Off	Yes	
Eco Cold	Yes	Start	Yes	
Cool	Yes	State	100	
Varm	Yes	Dimensions and Volume		
Hot	Yes	Height	38"	
anitize	Yes	Width	27"	
	162	Depth	32"	
		Depth With Door 90° Open	53 1/2"	
Dispenser	77	Washer Drum Capacity I.E.C.	5.2 Cu. Ft.	
Bleach Dispenser	Yes			
Detergent Dispenser	Yes	Dry Linen Capacity Tested Amount	11.5 kg	
abric Softener Dispenser	Yes			
rewash Detergent Dispenser	Yes	Energy Data		
ODs Dispenser	Yes	Integrated Modified Energy Factor	2.92	
		Integrated Water Factor	3.2	
Exterior		kWh/cycle	0.29 kWh	
Door Latch	Yes	kWh/year	85 kWh	
Reversible Door	Yes	Water Usage/Year	4248 Gallons	

15 Amps

120 V

Electrical SpecificationsMinimum Circuit Required

Voltage Rating

4.5 Cu. Ft.


Version: 10/25

Installation		General Specifications	
Optional Pedestal	Yes	Chime On / Chime Off	Yes
Power Cord Included	Yes	Leveling Legs	Yes
Stackable	Yes	Prop 65 Label	No
		Warranty - Labor	1 Year
Performance Certifications and Approvals		Warranty - Motor	10 Years
CEE Tier	Tier 2	Warranty - Parts	1 Year
ENERGY STAR Certified	Yes	Warranty - Tub	Lifetime
High Efficiency	Yes		
		Safety Certifications and Approvals	
Right to Repair Details		NSF Certified	Yes
8	Available - Visit	UL Listed	Yes
Right to Repair	electrolux.ca/en/Owner- Support/right-to-repair for more information		

Version: 10/25

Installation Diagram

Washer dimensions



^{*}Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹Power supply cord length on washer approximately 60 inches (152.5 cm).

²Drain hose length on washer approximately 59 inches (150 cm).

³Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).