QUICK REFERENCE GUIDE > OR36SDG4X1

36" Series 7 Contemporary 5 Burner Gas Range, Natural Gas

Series 7 | Contemporary



Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with large 4.9 cu ft total capacity and three functions

DIMENSIONS

Height 35 3/4 - 37 1/4 "

Width	35 7/8 "
Depth	25 1/4 "

FEATURES & BENEFITS

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Design Quality

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.

Large Capacity

The large 4.9 cu ft capacity for this range gives you plenty of space to cook multiple dishes at the same time.

Easy Cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

O man awill as sake my (Due il many awal Cuill was als)

2-pc grill system (Broll pan and Grill rack)	•
Broil pan	•
Chromed shelf runners	1 set
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE

Small pot support	1 (part 533981
	cast)

Accessories (sold separately)

Kick strip, stainless steel (optional)	KICKOR36X
Wok grate included	Yes

Burner ratings

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	1500 - 7600BTU
Semi-rapid burner (natural gas)	1500 - 8000BTU
Total cooktop power	62000 BTU
Triple ring wok burner (LPG) x2	6100 - 12000BTU
Triple ring wok burner (natural gas) x2	6100 - 14000BTU

Capacity

Shelf positions	7
Total capacity	4.9 cu ft
Usable capacity	3.8 cu ft

Cleaning

Acid resistant graphite enamel	•
Dishwasher proof trivets	•
Removable oven door	•
Removable shelf runners	•

QUICK REFERENCE GUIDE > OR36SDG4X1

Controls	
Laser etched graphics	•
Gas Requirements	
Supply Pressure (LPG)	11" W.C.P
Supply Pressure (natural gas)	4" W.C.P
Oven features	
Auto re-ignition system	•
Concealed element	•
Convection	•
Electronic ignition	•
Full extension telescopic sliding shelves	•
Soft open/close door	•
Storage drawer	•
Oven functions	
Bake	•
Convection bake	•
Maxi Broil	•
Number of functions	3
Oven performance	
Bake power	17000 BTU
Broil	13000 BTU
CoolTouch door	Quadruple glazed

Power Requirements	
Amperage	15 A
Supply frequency	60 Hz
Supply voltage	120 V
Product Dimensions	
Depth	25 1/4 "
Height	35 3/4 - 37 1/4 "
Width	35 7/8 "
Rangetop features Hob rail LPG / Natural Gas compatible	
Sealed range top	•
Safety	
ADA compliant	•
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•

SKU 82761

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Rhino Gas Range

Right To Repair Declaration (English, French)

Sketchup Gas Range

User Guide Freestanding Range EN

Where applicable:

2 sets (part 578744)

5/8 gallon

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Full extension telescopic shelves

Non-tip shelves

Spill containment

Full extension telescopic sliding shelves

QUICK REFERENCE GUIDE > OR36SDG4X1

