

A modern kitchen with white shaker-style cabinets and a white subway tile backsplash. A stainless steel range hood is mounted above a cooktop with a copper pot boiling on it. The countertop is white marble, and there are various kitchen items like bread, a cutting board, and a potted plant visible.

LIMITED WARRANTY
1-year
(See website for full warranty text.)
FOR INDOOR USE ONLY

E6042TSSM
E6048TSSM





1115363B

† Max. blower CFM indicates the performance of the hood blower in open air and is not HVI certified.

Venmar Ventilation ULC, 550 Lemire Blvd., Drummondville, Québec, Canada J2C 7W9 Broan-NuTone.ca 800-567-3855
Broan-NuTone LLC, 926 West State Street, Hartford, Wisconsin, USA 53027 Broan-NuTone.com 800-558-1711

HVI PERFORMANCE (SINGLE BLOWER)										
Models	Duct Size and Orientation	Sones				CFM				
		Low	Med. Low	Med. High	High	Low	Med. Low	Med. High	High 0.25 in. w.g.	High 0.1 in. w.g.
E6030SSM	8" Round - Vertical	<0.3	0.9*	3.0*	10.0	130	190*	300*	560	590
E6036SSM	3-1/4" x 10" - Vertical	<0.3	0.8*	3.0*	9.5	130	180*	290*	550	570
	3-1/4" x 10" - Horizontal	<0.3	0.7*	3.0*	9.5	120	170*	280*	540	560
HVI PERFORMANCE (DUAL BLOWER)										
Models	Duct Size and Orientation	Sones				CFM				
		Low	Med. Low	Med. High	High	Low	Med. Low	Med. High	High 0.25 in. w.g.	High 0.1 in. w.g.
E6042TSSM	4-1/2" x 18-1/2" - Vertical	0.4	1.2*	3.5*	11.5	290	360*	560*	1170	1200
E6048TSSM	4-1/2" x 18-1/2" - Horizontal	0.4	1.3*	4.0*	12.0	280	360*	570*	1150	1180

* Where noted performance rating is not HVI certified but was established in accordance with HVI Standardized test procedure.




HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 and 0.25 in. static pressure at high speed based on tests conducted in an HVI-approved state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

A modern kitchen scene with white shaker-style cabinets. A stainless steel range hood is mounted above a cooktop. A copper pot sits on the cooktop, with steam rising from it. A loaf of bread is on a wooden cutting board to the left. The backsplash is made of white square tiles. The countertop is white, and there are some kitchen items like a pepper grinder and a small potted plant on the right.

POUR UTILISATION À L'INTÉRIEUR SEULEMENT

Venmar Ventilation ULC, 550 Lemire Blvd., Drummondville, Québec, Canada J2C 7W9 Broan-NuTone.ca 800-567-3855
Broan-NuTone LLC, 926 West State Street, Hartford, Wisconsin, USA 53027 Broan-NuTone.com 800-558-1711




1115363B

RENDEMENT HVI (VENTILATEUR SIMPLE)										
Modèles	Dimensions du conduit et orientation	Sones				pi³/min				
		Basse	Moyenne-Basse	Moyenne-Haute	Haute	Basse	Moyenne-Basse	Moyenne-Haute	Haute 0,25 po d'eau	Haute 0,1 po d'eau
E6030SSM	8 po rond - verticale	<0,3	0,9*	3,0*	10,0	130	190*	300*	560	590
E6036SSM	3-1/4 po x 10 po - verticale	<0,3	0,8*	3,0*	9,5	130	180*	290*	550	570
	3-1/4 po x 10 po - horizontale	<0,3	0,7*	3,0*	9,5	120	170*	280*	540	560


RENDEMENT HVI (VENTILATEUR DOUBLE)										
Modèles	Dimensions du conduit et orientation	Sones				pi³/min				
		Basse	Moyenne-Basse	Moyenne-Haute	Haute	Basse	Moyenne-Basse	Moyenne-Haute	Haute 0,25 po d'eau	Haute 0,1 po d'eau
E6042TSSM	4-1/2 po x 18-1/2 po - verticale	0,4	1,2*	3,5*	11,5	290	360*	560*	1170	1200
E6048TSSM	4-1/2 po x 18-1/2 po - horizontale	0,4	1,3*	4,0*	12,0	280	360*	570*	1150	1180

* Signifie que la donnée n'est pas certifiée par le HVI, mais a été obtenue suivant les procédures de test standardisées du HVI.

Ventilateur simple



Ventilateur double



L'HOMOLOGATION HVI-2100 est conforme aux nouvelles techniques et procédures d'essai prescrites par le Home Ventilating Institute pour les produits d'emploi courant, dès leur disponibilité pour les consommateurs. Le rendement du produit est évalué à une pression statique de 0,1 po et de 0,25 po, d'après les tests effectués dans un laboratoire d'essai ultra-perfectionné approuvé par le HVI. Le sone est une mesure de la perception humaine de la puissance sonore, d'après des mesures effectuées en laboratoire.