QUICK REFERENCE GUIDE > RDV3-304-N Date: 15.09.2025 > 1

30" Series 9 Professional 4 Burner Dual Fuel Self-Cleaning Range, Natural Gas

Series 9 | Professional




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- · Top burner heat of 22,500 BTU, for seriously fast boiling
- · 4 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS





FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Featuring a generous total capacity of 4 cu ft, with enough room to fit a 26 lb turkey, or to cook several dishes at once.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 22,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers •

Branded coin end cap

Accessories (sold separately)

Square handle option AH-R30

Wok grate included No

Burner ratings		Gas Requirements		Pastry bake	•
Maximum burner power	22500 BTU	Fitting and pipe	½ NPT, min. %″ 🛚	Pizza bake	•
Power back left	18500BTU		flex line	Rapid proof	•
Power back right	18500BTU	Supply Pressure (natural gas)	6" to 9" W.C	Roast	•
Power front left	22500BTU			Slow cook	•
Power front right	18500BTU	Main avan funakiana		True convection	•
Total cooktop power	78000 BTU	Main oven functions		Warm	•
		Warm	•		
Capacity				Oven performance	
Shelf positions	5	Oven features		Bake power	3500
	•	Auto re-ignition system	•	Main oven - True convection power	2500 W
		Broil pan	•		
Cleaning		Concealed element	•		
Easy clean porcelain basepan	•	Electronic oven control	•	Power Requirements	
Pyrolytic self-clean	•	Food probe	•	Connection	4-prong
		Full extension telescopic sliding shelves	•		grounding type [NEMA 14-50
		Self-clean proof side racks	•		plug]
Controls		Titanium coated, illuminated metal dials	•	Service	30 A
Dial with illuminated halo	•			Supply frequency	60 Hz
Electric circuit	4			Supply voltage	240 V
High resolution display	•	Oven functions			
Metal illuminated dials	•	Air fry	•		
Multi-language interface		Bake	•	Product Details	
Precise cooking with food probe		Classic bake	•	Self Cleaning Sf	Yes
recipeAndFoodBasedFunctions		Clean	•		
Sabbath mode		Convection bake	•		
Smart appliance	•	Convection Broil	•	Product Dimensions	
Tilting touch screen interface	•	Dehydrate	•	Depth	29 1/8 "
Thung touch screen interface	·	Maxi Broil	•	Depth (excluding handles)	2918 mm
		Number of functions	15	Height	35 3/4 - 36 3/4 "
				Width	29 7/8 "

QUICK REFERENCE GUIDE > RDV3-304-N Date: 15.09.2025 > 3

Rangetop features

Sealed range top
Vent trim included

Recommended Back Guards Ventilation

Combustible situation

Non combustible situation

BGRV2-3030 /
BGRV2-1230

Recommended hood

HCB30-6_N
(Professional Range Hood)

Safety

ADA compliant

Full extension telescopic sliding shelves

Secondary oven features

Food probe

SKU 82943

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

User Guide Professional Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

