

COOKING

MICROWAVE


DRAWER

Are you ready for sleek, low-profile design, subtle, under-counter placement and ten power levels? This drawer-style microwave takes you to the next level of ease and convenience. Enjoy a clutter-free countertop and deluxe features like touch open and

close, touch controls, stainless steel exterior, a sensor cook button, quick buttons, and more.

ZEPHYR


ZEPHYRONLINE.COM



FRONT




Standard installation



TOP



Flush mount installation



SIDE

MODEL

Built-in Microwave Drawer

MWD2401AS

MWD3001AS

Size

24"

30"

Exterior Dimensions

23-5/8"W x 16-1/8"H x 23-7/8"D

29-7/8"W x 16-1/8"H x 23-7/8"D

Interior Dimensions

16-1/8"W x 16-1/8"D x 7-1/8"H

16-1/8"W x 16-1/8"D x 7-1/8"H

Weight

70 lbs.

76 lbs.

Installation Type

Built-in

Built-in

Flush Mount Capable

Yes

Yes

KEY FEATURES

Controls

Electronic Touch with LCD

Electronic Touch with LCD

Built-in Clock

Yes

Yes

Exterior Finish

304-Grade Stainless Steel

304-Grade Stainless Steel

Interior Finish

White

White

Interior Lighting

Yes

Yes

Easy Clean Coating

Yes

Yes

ADA Compliant

Yes

Yes

CONTROL FEATURES

Touch Open/Close

Mute On/Off

10 Power Levels

Sensor Cook

potato, chicken, fish, ground meat, fresh/
frozen/canned vegetables, frozen entrées

Sensor Reheat

pasta, pizza, soup

+30 Seconds Button

Controls Lock

Kitchen Timer

Popcorn

Defrost

ground meat, steaks/chops, poultry (no
bone/in-bone), roast, casserole, soup

Melt

butter, chocolate, ice cream, marshmallow,

Soften

cream cheese, sauces

CAPACITY

Interior Capacity

1.2 cu/ft

1.2 cu/ft

TECHNICAL DETAILS

Rated Output

1000W

1000W

AC Power

120V, 60Hz at Max. 15A

120V, 60Hz at Max. 15A

WARRANTY

1 year parts, 1 year labor,
5 years magnetron parts1 year parts, 1 year labor,
5 years magnetron parts


Easy Clean Coating

Smudges? What smudges? Stainless steel door finished with an anti-finger-print coating prevents greasy finger-prints and sticky spills from building up.



Sensor Cooking

Precisely done: Sensor cooking measures vapor and humidity while the oven automatically adjusts time and power to yield good results, every time.




Capacity

Living large: Expanded capacity means food can go from fridge to microwave in the same container—accommodating a 9"x13" baking dish with ease.

CABINET CUT-OUT
DIMENSIONS

CABINET CUT-OUT FOR STANDARD INSTALLATION




A. (24") 7/8" overlap, (30") 7/8" min. - 3-7/8" max. overlap, depending on B

B. (24") 22", (30") 22" min. - 28-1/4" max.

C. (24") 24" min., (30") 30" min.

CABINET CUT-OUT FOR FLUSH MOUNT INSTALLATION



NOTE: The face of the shelf must sit 1-1/2" back from the face of the cabinet

Shelf Face
1-1/2"
Cabinet Face