QUICK REFERENCE GUIDE > RDV3-488-N

48" Series 9 Professional 8 Burner Dual Fuel Self-Cleaning Range, Natural Gas

Height 35 3/4 - 36 3/4 "

Width 47 7/8 "


Depth 29 1/8 "





With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- · Top burner heat of 23,500 BTU, for seriously fast boiling
- · 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance



FEATURES & BENEFITS

Cook With Confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous Capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking Flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop Power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy To Clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories (included)

Adjustable feet covers

Branded coin end cap

DIMENSIONS

Accessories (sold separately)		Dial with illuminated halo	•	Convection bake	•
Square handle option	AH-R48	Dual control oven dials	•	Convection broil	•
·		Electric circuit	4 wire	Maxi broil	•
		High resolution display	•	Number of oven functions	15
Burner ratings		Metal illuminated dials	•	Pizza bake	•
Maximum burner power	23500 BTU	Multi-language interface	•	Rapid proof	•
Power back centre	18500BTU	Precise cooking with food probe	•	Roast	•
Power back centre (2)	18500BTU	$recipe {\sf AndFoodBasedFunctions}$	•	Slow cook	•
Power back left	18500BTU	Sabbath mode	•	True convection	•
Power back right	18500BTU	Smart appliance	•	Warm	•
Power front centre	18500BTU	Tilting touch screen interface	•		
Power front centre (2)	18500BTU				
Power front left	23500BTU			Oven features	
Power front right	23500BTU	Gas Requirements		Auto re-ignition system	•
Total cooktop power	158000 BTU	Fitting and pipe	½ NPT, min. %″ ∑ flex line	Concealed element	•
		Comply Dynasowa (natural mas)		Electronic oven control	•
	_	Supply Pressure (natural gas)	6" to 9" W.C	Full extension telescopic sliding shelves	•
Capacity				Self-clean proof side racks	•
Shelf positions (main oven)	5	Main oven features		Titanium coated, illuminated metal dials	•
Shelf positions (second oven)	5	Concealed Element			
Total capacity (main oven)	4.8 cu ft	Electronic oven control			
Total capacity second oven	2.1 cu ft	Full extension telescopic racks		Oven functions	
Usable capacity (main oven)	3.8 cu ft	Internal light		Air fry	•
		-	•	Bake	•
		Self-clean proof side racks	•	Classic bake	•
Cleaning				Clean	•
Easy clean porcelain basepan	•	Main oven functions		Convection bake	•
Pyrolytic self-clean	•			Convection Broil	•
· ·		Air fry	•	Dehydrate	•
		Bake	•	Maxi Broil	•
Controls		Classic bake	•	Number of functions	15
		Clean	•		

QUICK REFERENCE GUIDE > RDV3-488-N Date: 11.09.2025 > 3

Pastry bake	•	Width	47 7/8 "	Bake •	
Pizza bake	•			Classic bake •	
Rapid proof	•			Convection bake •	
Roast	•	Rangetop features		Convection broil •	
Slow cook	•	Sealed range top	•	Maxi broil •	
True convection	•	Vent trim included	•	Number of secondary oven functions 11	
Warm	•			Pastry bake •	
				Pizza bake •	
		Recommended Back Guards Ventilation		Rapid proof •	
Oven performance		Combustible situation	BGRV3-3048H	Roast •	
Bake power	4600	Non combustible situation	BGRV2-3048 /	Warm •	
Broil	3600 W		BGRV2-1248		
Main oven - True convection power	2500 W	Recommended hood	HCB48-12_N (48"" Professional Range Hood, Dual Blower)	SKU 82969	
Power Requirements					
Connection	4-prong grounding type [NEMA 14-50 plug]	Safety ADA compliant	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
Service	50 A			correctly describes the model currently available. © Fisher & Paykel	
Supply frequency	60 Hz			Appliances Ltd 2020	
Supply voltage	208 - 240 V	Secondary oven features			
		3/4 Extension racks	2	Other product downloads available at fisherpaykel.com	
		Concealed element	•		
Product Details		Electronic oven control	•		
Self Cleaning Sf	Yes	Food probe	•		
		Internal light	•		
Product Dimensions					
Depth	29 1/8 "	Secondary oven functions			
Depth (excluding handles)	2918 mm	Air fry	•		
Height	35 3/4 - 36 3/4 "	-		and Angled Trim	

QUICK REFERENCE GUIDE > RDV3-488-N

- ↓ 2D-DXF Dual Fuel Range
- ArchiCAD Dual Fuel Range

- → Planning Guide Professional Style Dial/Handle Accessories
- ↓ Planning Guide 48" Professional Ranges & Backguards
- ↓ Revit
- ↓ Rhino
- ↓ Right To Repair Declaration (English, French)
- ↓ SketchUp
- User Guide EN
- User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com