

# PTD700LSN

## GE Profile™ 30" Smart Built-In Convection Double Wall Oven with Left-Hand Side-Swing Doors

### DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)


**NOTE:** Wall coverings, countertops and cabinets surrounding the wall oven must be able to withstand a temperature of up to 200°F (94°C).

**NOTE:** If the cabinet in which the wall oven is installed does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. The runners and braces must support up to 400 lbs (181 kg).

**NOTE:** Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.


**ATTENTION INSTALLER:** Electric wall ovens are NOT approved for installation with a plug and receptacle. They must be hard wired into an approved junction box.

**IMPORTANT:** Before installing, consult installation instructions packed with product for current dimensional data.



Dimension and installation information are shown in inches.

| KW RATING    |         |
|--------------|---------|
| 240V         | 9       |
| 208V         | 6.8     |
| BREAKER SIZE |         |
| 240V         | 40 Amps |
| 208V         | 40 Amps |



| PTD7000                                          |         |
|--------------------------------------------------|---------|
| Cabinet                                          | 30"     |
| A - Overlap of oven at top of cutout             | 1"      |
| B - Overlap of oven other side of edge of cutout | 11/16"  |
| C - Overlap of oven at bottom of cutout          | 1-1/4"  |
| Oven                                             |         |
| D - Install depth                                | 23-1/2" |
| E - Overall height with trim                     | 53"     |
| F - Overall width                                | 29-3/4" |



For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.



Listed by  
Underwriters  
Laboratories



Specification Revised 7/20

# PTD700LSN

## *GE Profile™ 30" Smart Built-In Convection Double Wall Oven with Left-Hand Side-Swing Doors*

### **DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)**

**NOTE:** 30" Double electric wall ovens are approved for installation above 27" and 30" warming drawers.

**IMPORTANT:** Before installing, consult installation instructions packed with ALL products for current dimensional and combination data.


#### **WHEN TO USE THE PEDESTAL RAILS:**

When replacing an older GE Appliances 30" double wall oven with a new GE Appliances model. Cutout Height = 51-13/16" to 51-15/16". This is our traditional cutout height.

#### **WHEN NOT TO USE THE PEDESTAL RAILS:**

When replacing a 30" double wall oven from another manufacturer (ie; Whirlpool) with a new GE Appliances model. Cutout height = 50-1/4". You will need to verify that the existing cutout matches the 50-1/4" dimension.

If the new GE Appliances 30" double wall oven is being installed into new construction (ie; not a replacement), then the recommended installation is to use the pedestal rails.



For answers to your GE Profile™ Series or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000.

Specification Revised 7/20

# PTD700LSN

## *GE Profile™ 30" Smart Built-In Convection Double Wall Oven with Left-Hand Side-Swing Doors*

### FEATURES AND BENEFITS

**Swing Door** – An innovative door design that opens to the side instead of down, eliminating awkward reaching.

**Precision Cooking Modes\*** – Simplify the cooking process with precision cooking modes that automatically track progress, and make time and temperature adjustments (upper oven).

**No Preheat Air Fry** – Integrated hot air frying technology gives you crispy results in your oven without using oil (upper oven).

**No Preheat** – Eliminate the need for preheating and save time with a variety of precision cooking modes.

**Built-in WiFi** – This smart oven features built-in WiFi so you can control oven functions with the SmartHQ app on your smart device.

**Full-Color Display** – Easily navigate wall oven settings thanks to a 7" touchscreen display.

**True European Convection with Direct Air** – This oven features True European Convection, an advanced convection system that uses a third heating element and reversing fan for the highest level of heat and air circulation.

**Easy-Glide, Never-Scrub Rack** – This smooth-gliding oven rack can be left in the oven during the self-clean cycle so you never have to scrub.


**Temperature Probe** – A precision temperature probe connects to the oven to ensure your food is properly cooked.

**Self-Clean with Steam Clean** – This self-cleaning oven uses optional steam cleaning for light soils to clean the oven cavity with less heat and odor.

**Fit Guarantee** – This oven will fit your existing cut-out, or GE Appliances will help pay for modifications up to \$300.

**Model PTD700LSNSS – Stainless Steel**

\*Available once connected to WiFi.



Visit [geappliances.com](http://geappliances.com) for more info

