QUICK REFERENCE GUIDE > OR30SDE6X1

30" Series 7 4 Element Electric Range, Ceramic Radiant

Series 7 | Contemporary




A refined electric range with multiple oven functions for perfect cooking of anything from a large roast to baking bread and pastry.

- · Electric radiant cooktop with four cook elements
- Nine oven functions including Roast, Aero™ Pastry with Pizza mode, and Rapid Proof for baking bread
- High-temperature self-cleaning function breaks down food residue for an easy clean

DIMENSIONS

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "



FEATURES & BENEFITS

Cooking Flexibility

Accurate, electronically-controlled oven heat, ensures a great result every time with 9 functions and pre-set temperatures including bake, grill, pastry bake with pizza mode and fan forced, for a variety of cooking styles.

A Modern Legacy

A refined, minimalist style with attention to the smallest details. High-performance cooking technology offers multiple cooking functions.

Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, machined stainless dials and glowing halo dials all add up to an exceptional, premium range.

Large Capacity Oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 26 lb turkey.

Easy To Clean

Cleaning up spills is effortless. The flat ceramic cooktop is easily wiped after use, and the self-cleaning oven breaks down food residue at a very high temperature leaving a light ash that's easily removed with a damp cloth.

Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time. Dishes on the top shelf turn out as perfectly as the ones on the bottom due to our AeroTech™ convection system that circulates air evenly throughout the entire oven.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension telescopic shelves

2 sets (part 578776)

Accessories (sold separately)

Hob rear trim 3 1/8"" (part 81656)

Kick strip, stainless steel (optional) KICKOR30X1

60 Hz	Supply frequency		Oven features		Capacity
208 - 240 V	Supply voltage	•	AeroTech™ technology	7	Shelf positions
		•	Automatic rapid pre-heat	3.5 cu ft	Total capacity
	5 1 15	•	Concealed element	2.9 cu ft	Usable capacity
	Product Dimensions	•	Electronic oven control		
25 1/4 "	Depth	•	Full extension telescopic sliding shelves		
35 3/4 - 37 5/8 "	Height	•	Soft open/close door		Cleaning
29 7/8 "	Width	•	True convection	•	Acid resistant graphite enamel
		•	Turned stainless steel clock dial	•	Drop down broil element
	Danielas Danfarra			•	Drop down grill element
	Rangetop Performance			•	Flat easy clean glass surface
4	Number of cooking zones		Oven functions	•	Pyrolytic proof shelf runners
		•	Aero™ Bake	•	Pyrolytic self-clean
	Catala	•	Aero™ Pastry with Pizza mode	•	Removable oven door
	Safety	9	Number of functions	•	Removable shelf runners
•	ADA compliant	•	Rapid proof		
•	Advanced cooling system	•	Roast		
•	Anti-tilt bracket	•	True convection		Controls
	Balanced oven door			•	Audio feedback
	Catalytic venting system			•	Automatic cooking/minute timer
•	CoolTouch door		Oven performance	•	Automatic pre-set temperatures
•	Full extension telescopic sliding shelves	4050 W	Broil power	•	Celsius/Fahrenheit temperature
•	Hi-light high speed ribbon elements	Triple glazed	CoolTouch door	•	Electronic clock
•	Individual hot surface indicators	220 W	Warming drawer power	•	High resolution display
•	Non-tip shelves			•	Laser etched graphics
68.13 L	Spill containment			•	Precise electronic temperature control
1/8 gallon	Spill containment		Power Requirements	•	Sabbath mode
81721		4-prong	Connection	•	Toughened fused glass graphics
		grounding type [NEMA 14-50P		•	Turned stainless steel clock buttons
	SKU	plug]		•	Turned stainless steel dials with illuminated
5.72.		40 A	Service		halos

QUICK REFERENCE GUIDE > OR30SDE6X1

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



Other product downloads available at fisherpaykel.com

↓ 2D-DWG Electric Range

↓ 2D-DXF Electric Range

↓ Data Sheet Induction Range

↓ Installation Guide FR

Rhino Electric Range

→ Right To Repair Declaration (English, French)

Sketchup Electric Range

User Guide Freestanding Range EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.