

# 30" Series 9 Contemporary 4 Zone Induction Range

Series 9 | Contemporary




You'll love the instant response induction cooktop with multi-function oven, perfect for making a roast, baking bread and more.

- Four instant-response, cool-to-touch induction cooking zones
- Convection oven with 3.5 cu. ft total capacity and nine oven functions including
- Non-tip full-extension shelves for safe removal of hot dishes
- High-temperature self-cleaning function breaks down food residue for an easy clean

## DIMENSIONS

Height	35 3/4 - 37 5/8 "
Width	29 7/8 "
Depth	25 1/4 "



## FEATURES & BENEFITS

### Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop and glowing halo dials all add up to an exceptional, premium range.

### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Easy To Clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

### Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

## SPECIFICATIONS

### Accessories (included)

2-pc grill system (Broil pan and Grill rack)	•
Broil pan	•
Full extension telescopic shelves	2 sets (part 578776)

### Accessories (sold separately)

Hob rear trim	3 1/8" (part 81656)
Kick strip, stainless steel (optional)	KICKOR30X1

### Cleaning

Acid resistant graphite enamel	•
Drop down broil element	•
Drop down grill element	•
Flat easy clean glass surface	•
Pyrolytic proof shelf runners	•

Pyrolytic self-clean	•	Oven functions		Gentle heat	•
Removable oven door	•	Aero™ Bake	•	Heat settings	9
Removable shelf runners	•	Aero™ Pastry with Pizza mode	•	Induction cooking technology	•
		Number of functions	9		
		Rapid proof	•		
		Roast	•		
		True convection	•		
Controls		Oven performance		Rangetop Performance	
Audio feedback	•	Broil power	4050 W	Number of cooking zones	4
Automatic cooking/minute timer	•	CoolTouch door	Triple glazed	PowerBoost	•
Automatic pre-set temperatures	•	Warming drawer power	220 W		
Celsius/Fahrenheit temperature	•				
Electronic clock	•				
High resolution display	•			Safety	
Laser etched graphics	•			ADA compliant	•
Precise electronic temperature control	•			Advanced cooling system	•
Sabbath mode	•			Anti-tilt bracket	•
Toughened fused glass graphics	•	Power Requirements		Balanced oven door	•
Turned stainless steel clock buttons	•	Connection	4-prong [NEMA 14-50P power cord]	Catalytic venting system	•
Turned stainless steel dials with illuminated halos	•	Service	40 A	Child lock	•
		Supply frequency	60 Hz	CoolTouch door	•
		Supply voltage	208 - 240 V	Full extension telescopic sliding shelves	•
				Non-tip shelves	•
Oven features				Pan detection system	•
AeroTech™ technology	•			Safety time out	•
Automatic rapid pre-heat	•	Product Dimensions		Spill containment	68.13 L
Concealed element	•	Depth	25 1/4 "	Spill containment	1/8 gallon
Electronic oven control	•	Height	35 3/4 - 37 5/8 "	Spillage auto off	•
Full extension telescopic sliding shelves	•	Width	29 7/8 "	Surface hot indicators	•
Soft open/close door	•				
True convection	•				
Turned stainless steel clock dial	•	Rangetop features		SKU	81722
		Auto heat reduce	•		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

#### Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓](#) 2D-DWG Induction Range
- [↓](#) 2D-DXF Induction Range
- [↓](#) Data Sheet Induction Range
- [↓](#) Installation Guide EN
- [↓](#) Installation Guide FR
- [↓](#) Revit Induction Range
- [↓](#) Rhino Induction Range
- [↓](#) Right To Repair Declaration (English, French)
- [↓](#) Sketchup Induction Range
- [↓](#) User Guide EN
- [↓](#) User Guide FR

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.