QUICK REFERENCE GUIDE > OR3OSCI6R1 Date: 15.09.2025 > 1

# 30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

#### Series 9 | Classic



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 35 3/4 - 37 5/8 "
Width 29 7/8 "
Depth 25 1/4 "

# **FEATURES & BENEFITS**

# **Outstanding Performance**

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

#### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### **Generous Capacity**

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

#### **Quality And Durability**

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

# Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

#### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

# **SPECIFICATIONS**

A		/: I		
Accesso	ries	(incl	uded)	١

2-pc grill system (Broil pan and Grill rack)

Broil pan

Full extension sliding shelves

2 sets (part 578776)

Full extension telescopic shelves

2 sets (part 578776)

# Accessories (sold separately)

Kick strip, black (optional)

Kick strip, red (optional)

Kick strip, stainless steel (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Kick strip, white (optional)

# Capacity

Shelf positions 7
Total capacity 3.5 cu ft
Usable capacity 2.9 cu ft

### Cleaning

Acid resistant graphite enamel

Drop down grill element

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 15.09.2025 > 2

Flat easy clean glass surface	•	True convection	•	Self Cleaning Sf	Yes
Pyrolytic proof shelf runners	•				
Pyrolytic self-clean	•				
Removable oven door	•	Oven functions		Product Dimensions	
Removable shelf runners	•	Aero Broil	•	Depth	25 1/4 "
		Aero™ Bake	•	Height	35 3/4 - 37 5/8 "
		Aero™ Pastry with Pizza mode	•	Width	29 7/8 "
Controls		Bake	•		
Audio feedback	•	Number of functions	9		
Automatic cooking/minute timer	•	Pyrolytic self-clean	•	Rangetop features	
Automatic pre-set temperatures	•	Rapid proof	•	Auto heat reduce	•
Celsius/Fahrenheit temperature	•	Roast	•	Gentle heat	•
Electronic clock	•	True Aero	•	Heat settings	9
High resolution display	•	True convection	•	Induction cooking technology	•
Laser etched graphics	•				
Precise electronic temperature control	•				
Sabbath mode	•	Oven performance		Rangetop Performance	
Toughened fused glass graphics	•	Broil power	4050 W	PowerBoost	•
Turned stainless steel clock buttons	•	CoolTouch door	Triple glazed		
Turned stainless steel dials with illuminated halos	•	Warming drawer power	220 W	Safety	
				•	
		Power Requirements		ADA compliant	•
Main oven functions		Connection	4-prong [NEMA	Advanced cooling system  Anti-tilt bracket	•
Warm	•	Connection •	14-50P power	Balanced oven door	•
			cord]		•
		Service	40 A	Catalytic venting system	•
Oven features		Supply frequency	60 Hz	Child lock	•
Automatic rapid pre-heat	•	Supply voltage	208 -240 V	CoolTouch door	• -
Electronic oven control	•			Full extension telescopic sliding shelves	• -
Full extension telescopic sliding shelves	•	Product Details		Non-tip shelves	•
Soft open/close door	•	1 Todact Details		Pan detection system	•

QUICK REFERENCE GUIDE > OR30SCI6R1 Date: 15.09.2025 > 3

Safety time out	•
Spill containment	68.13 L
Spill containment	1/8 gallon
Spillage auto off	•
Surface hot indicators	•

SKU 81964

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ Installation Guide EN

Installation Guide FR

Right To Repair Declaration (English, French)

↓ Sketchup Induction Range

User Guide EN

User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com