



## UL-APPROVED WALL OVENS OVER WARMING DRAWERS

REFER TO INSTALLATION INSTRUCTIONS OF BOTH UNITS FOR SUCH INSTALLATION.

This document shows which UL-certified wall ovens can be safely installed over warming drawers. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

	WALL OVEN MODELS	30" WARMING DRAWERS				27" WARMING DRAWERS	
		GE PROFILE™	CAFÉ	MONOGRAM		GE PROFILE	MONOGRAM
		PTW9000	CTW900P	ZTW900S ZTW900P	ZW9000	PKW7000	ZKW700S ZJ7000
<b>30" DOUBLE WALL OVEN</b>	GE JTD3000	•	•	•	•		
	GE JTD5000	•	•	•	•		
	GE PROFILE PTD7000	•	•	•	•		
	GE PROFILE PTD700R	•	•	•	•		
	GE PROFILE PTD700L	•	•	•	•		
	GE PROFILE PTD9000	•	•	•	•		
	CAFÉ CTD70DM	•	•	•	•		
	CAFÉ CTD70DP	•	•	•	•		
	CAFÉ CTD90DM	•	•	•	•		
	CAFÉ CTD90DP	•	•	•	•		
	CAFÉ CTD90FP	•	•	•	•		
	MONOGRAM ZTD90DS	•	•	•	•		
	MONOGRAM ZTD90DP	•	•	•	•		
	MONOGRAM ZET9550	•	•	•	•		
	MONOGRAM ZET2P	•	•	•	•		
MONOGRAM ZET2S	•	•	•	•			
MONOGRAM ZTDX1DS	•	•	•	•			
MONOGRAM ZTDX1DP	•	•	•	•			
<b>30" FRENCH DOOR DOUBLE WALL OVEN</b>	CAFÉ CT9570	•	•	•	•		
	CAFÉ CTD90FP	•	•	•	•		
	MONOGRAM ZET2F	•	•	•	•		
	MONOGRAM ZTDX1FP	•	•	•	•		
<b>30" SINGLE WALL OVEN</b>	GE JTS3000	•	•	•	•		
	GE JTS5000	•	•	•	•		
	GE PROFILE PTS7000	•	•	•	•		
	GE PROFILE PTS700L	•	•	•	•		
	GE PROFILE PTS700R	•	•	•	•		
	GE PROFILE PTS9000	•	•	•	•		
	CAFÉ CTS70DM	•	•	•	•		
	CAFÉ CTS70DP	•	•	•	•		
	CAFÉ CTS90DM	•	•	•	•		
	CAFÉ CTS90DP	•	•	•	•		
	MONOGRAM ZET9050	•	•	•	•		
	MONOGRAM ZET1C	•	•	•	•		
	MONOGRAM ZET1P	•	•	•	•		
	MONOGRAM ZET1S	•	•	•	•		
	MONOGRAM ZTS90DS	•	•	•	•		
MONOGRAM ZTS90DP	•	•	•	•			
MONOGRAM ZTSX1DS	•	•	•	•			
MONOGRAM ZTSX1DP	•	•	•	•			
<b>30" FRENCH DOOR SINGLE WALL OVEN</b>	CAFÉ CTS90FP	•	•	•	•		
	MONOGRAM ZTSX1FP	•	•	•	•		
<b>30" STEAM OVEN</b>	CAFÉ CMB903P	•	•	•	•		
	MONOGRAM ZMB9031	•	•	•	•		
	MONOGRAM ZMB9032	•	•	•	•		
<b>30" SINGLE/DOUBLE WALL OVEN</b>	GE PROFILE PTS9200	•	•	•	•		
	CAFÉ CTS92DM	•	•	•	•		
<b>30" ADVANTIUM WALL OVEN</b>	GE JT3800	•	•	•	•		
	GE PROFILE PT7800	•	•	•	•		
	GE PROFILE PT9800	•	•	•	•		
	GE PROFILE PT9900	•	•	•	•		
	CAFÉ CTC912	•	•	•	•		
<b>30" ADVANTIUM MICROWAVE OVEN</b>	GE PROFILE PSB9120SVSS	•	•	•	•		
	CAFÉ CSB913**V**	•	•	•	•		
	MONOGRAM ZSB913**V**	•	•	•	•		
<b>27" DOUBLE WALL OVEN</b>	GE JKD3000					•	•
	GE JKD5000					•	•
	GE PROFILE PKD7000					•	•
	CAFÉ CKD70DM					•	•
	CAFÉ CKD70DP					•	•
	MONOGRAM ZKD90DS					•	•
	MONOGRAM ZKD90DP					•	•
<b>27" SINGLE WALL OVEN</b>	GE JKS3000					•	•
	GE JKS5000					•	•
	GE PROFILE PKS7000					•	•
	CAFÉ CKS70DM					•	•
	CAFÉ CKS70DP					•	•
	MONOGRAM ZKS90DS					•	•
MONOGRAM ZKS90DP					•	•	
<b>27" ADVANTIUM WALL OVEN</b>	GE JK3800					•	•
	GE PROFILE PK7800					•	•
<b>30" HEARTH OVEN</b>	MONOGRAM ZEP30*			•	•		
<b>27" ADVANTIUM MICROWAVE OVEN</b>	GE PROFILE PSB9100SVSS					•	•
	CAFÉ CSB912**V**					•	•
	MONOGRAM ZSB912**V**					•	•
<b>30" CONVECTION MICROWAVE OVEN</b>	GE PROFILE PWB7030SVSS	•	•	•	•		
	CAFÉ CWB713P2XV1	•	•	•	•		

\*Minimum distance of 20-15/16" required between horizontal centerline of each unit.



## UL-APPROVED COOKTOPS OVER WARMING DRAWERS

**REFER TO INSTALLATION INSTRUCTIONS OF BOTH UNITS FOR SUCH INSTALLATION.**

This document shows which UL-certified cooktops can be safely installed over warming drawers. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

			27" WARMING DRAWERS		30" WARMING DRAWERS		
			GE PROFILE™	MONOGRAM	GE PROFILE™	CAFÉ	MONOGRAM
			PKW7000	ZKW700S ZJ7000	PTW9000	CTW900P	ZTW900S ZTW900P ZW9000
WALL OVEN MODELS							
ELECTRIC 30"	GE	JEP5030	•	•	•	•	•
	GE	JP5030	•	•	•	•	•
	GE	JP3530	•	•	•	•	•
	GE	JP3030	•	•	•	•	•
	GE PROFILE	PEP7030	•	•	•	•	•
	GE PROFILE	PEP9030	•	•	•	•	•
	GE PROFILE	PP9030	•	•	•	•	•
	GE PROFILE	PP7030	•	•	•	•	•
	CAFÉ	CP9530	•	•	•	•	•
	CAFÉ	CEP7030	•	•	•	•	•
	CAFÉ	CEP9030	•	•	•	•	•
MONOGRAM	ZEU30R	•	•	•	•	•	
ELECTRIC 36"	GE	JEP5036			•	•	•
	GE	JP5036			•	•	•
	GE	JP3036			•	•	•
	GE	JP3536			•	•	•
	GE PROFILE	PEP7036			•	•	•
	GE PROFILE	PEP9036			•	•	•
	GE PROFILE	PP9036			•	•	•
	GE PROFILE	PP7036			•	•	•
	CAFÉ	CP9536			•	•	•
	CAFÉ	CEP7036			•	•	•
	CAFÉ	CEP9036			•	•	•
MONOGRAM	ZEU36R			•	•	•	
GAS 30"	GE	JGP3030	•	•	•	•	•
	GE	JGP3530	•	•	•	•	•
	GE	JGP5030	•	•	•	•	•
	GE	JGP5530	•	•	•	•	•
	GE PROFILE	PGP7030	•	•	•	•	•
	GE PROFILE	PGP9030	•	•	•	•	•
	CAFÉ	CGP7030	•	•	•	•	•
	CAFÉ	CGP9530	•	•	•	•	•
	MONOGRAM	ZGU30R	•	•	•	•	•
GAS 36"	GE	JGP3036			•	•	•
	GE	JGP5036			•	•	•
	GE	JGP5536			•	•	•
	GE PROFILE	PGP7036			•	•	•
	GE PROFILE	PGP9036			•	•	•
	CAFÉ	CGP7036			•	•	•
	CAFÉ	CGP9536			•	•	•
	MONOGRAM	ZGU36E			•	•	•
INDUCTION 30"	GE PROFILE	PHP6030			•	•	
	GE PROFILE	PHP7030	•	•	•	•	•
	GE PROFILE	PHP9030	•	•	•	•	•
	CAFÉ	CHP9030	•	•	•	•	•
	CAFÉ	CHP9530	•	•	•	•	•
	MONOGRAM	ZHU30R	•	•	•	•	•
INDUCTION 36"	GE PROFILE	PHP6036			•	•	
	GE PROFILE	PHP7036			•	•	•
	GE PROFILE	PHP9036			•	•	•
	CAFÉ	CHP9036			•	•	•
	CAFÉ	CHP9536			•	•	•
	MONOGRAM	ZHU36R			•	•	•

## UL-APPROVED WALL OVENS SIDE BY SIDE

REFER TO INSTALLATION INSTRUCTIONS OF BOTH UNITS FOR SUCH INSTALLATION.

This document shows which UL-certified wall ovens can be safely installed side-by-side. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

			30" FRENCH DOOR SINGLE WALL OVEN		30" SINGLE WALL OVEN				30" STEAM OVEN	
			CAFÉ	MONOGRAM	GE	GE PROFILE™	CAFÉ	MONOGRAM	CAFÉ	MONOGRAM
			CTS90FP	ZTSX1FP	JTS5000 JTS3000	PTS9000 PTS7000 PTS700L PTS700R	CTS90DM CTS90DP CTS70DP CTS70DM	ZTS90DS ZTS90DP	CMB903P	ZMB9031 ZMB9032
WALL OVEN MODELS										
30" FRENCH DOOR SINGLE WALL OVENS	CAFÉ	CTS90FP	•	•	•	•	•	•	•	•
	MONOGRAM	ZTSX1FP	•	•	•	•	•	•	•	•
30" SINGLE WALL OVEN	GE	JTS5000	•	•	•	•	•	•	•	•
	GE	JTS3000	•	•	•	•	•	•	•	•
	GE PROFILE	PTS9000	•	•	•	•	•	•	•	•
	GE PROFILE	PTS7000	•	•	•	•	•	•	•	•
	GE PROFILE	PTS700L	•	•	•	•	•	•	•	•
	GE PROFILE	PTS700R	•	•	•	•	•	•	•	•
	CAFÉ	CTS90DM	•	•	•	•	•	•	•	•
	CAFÉ	CTS90DP	•	•	•	•	•	•	•	•
	CAFÉ	CTS70DP	•	•	•	•	•	•	•	•
	CAFÉ	CTS70DM	•	•	•	•	•	•	•	•
	MONOGRAM	ZTS90DS	•	•	•	•	•	•	•	•
	MONOGRAM	ZTS90DP	•	•	•	•	•	•	•	•
	MONOGRAM	ZTSX1DS	•	•	•	•	•	•	•	•
	MONOGRAM	ZTSX1DP	•	•	•	•	•	•	•	•
30" STEAM OVEN	CAFÉ	CMB903P	•	•	•	•	•	•	•	•
	MONOGRAM	ZMB9031	•	•	•	•	•	•	•	•
	MONOGRAM	ZMB9032	•	•	•	•	•	•	•	•
30" SINGLE/DOUBLE WALL OVEN	GE PROFILE	PTS9200	•	•	•	•	•	•	•	•
	CAFÉ	CTS92DM	•	•	•	•	•	•	•	•
27" SINGLE WALL OVEN	GE PROFILE	PKS7000							•	•
	GE PROFILE	PKS7000							•	•
	GE PROFILE	PKS7000							•	•
	CAFÉ	CKS70DP							•	•
	CAFÉ	CKS70DM							•	•
	MONOGRAM	ZKS90DS							•	•
MONOGRAM	ZKS90DP							•	•	

Minimum 42-1/2" between vertical centerlines of each unit.

Minimum 29" between vertical centerlines of each unit.

Minimum 58-1/2" between vertical centerlines of each unit.

Minimum 30-1/2" between vertical centerlines of each unit.


## UL-APPROVED WALL OVENS OVER/UNDER

REFER TO INSTALLATION INSTRUCTIONS OF BOTH UNITS FOR SUCH INSTALLATION.

This document shows which UL-certified wall ovens can be safely installed over the top or underneath each other. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

UPPER OVEN

		30" FRENCH DOOR SINGLE WALL OVEN		30" SINGLE WALL OVEN				30" STEAM OVEN		30" STEAM OVEN		30" ADVANTIUM MICROWAVE OVEN			30" CONVECTION MICROWAVE OVEN			
		CAFÉ	MONOGRAM	GE	GE PROFILE™	CAFÉ	MONOGRAM	CAFÉ	MONOGRAM	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ		
		CTS90FP	ZTSXIFP	JTS5000 JTS3000	PTS9000 PTS7000	CTS90DP CTS70DP CTS70DM	ZTS90DS	CMB903P	ZMB9031 ZMB9032	PT9200	ZETID	PSB9120SVSS	CSB913**V**	ZSB12*V**	PWB7030SVSS	CWB713P2VS1		
		WALL OVEN MODELS																
LOWER OVEN	30" SINGLE WALL OVEN	GE	JTS5000															
		GE	JTS3000															
		GE PROFILE	PTS9000															
		GE PROFILE	PTS7000															
		CAFÉ	CTS90DP															
		CAFÉ	CTS70DP															
		CAFÉ	CTS70DM															
		MONOGRAM	ZTS90DS															
		MONOGRAM	ZTS90DP															
		MONOGRAM	ZET9050															
		MONOGRAM	ZET1C															
		MONOGRAM	ZET1P															
		MONOGRAM	ZET1S															
30" STEAM OVEN	CAFÉ	CMB903P																
	MONOGRAM	ZMB9031																
	MONOGRAM	ZMB9032																
30" SINGLE/DOUBLE WALL OVEN	GE PROFILE	PT9200																

 Minimum 24" between horizontal centerlines of each unit.

 Minimum 18-5/8" between horizontal centerlines of each unit.

**UL-APPROVED COOKTOPS OVER WALL OVENS**

REFER TO INSTALLATION INSTRUCTIONS OF BOTH UNITS FOR SUCH INSTALLATION.

This document shows which UL-certified cooktops can be safely installed over wall ovens. Models listed below are partial model numbers only. For the perfect match use the beginning sequence of your model number.

	COOKTOP MODELS	30" FRENCH DOOR SINGLE WALL OVEN		30" SINGLE WALL OVEN				30" STEAM OVEN <sup>1</sup>		30" SINGLE DOUBLE WALL OVEN		27" SINGLE WALL OVEN				30" ADVANTIUM MICROWAVE OVEN			27" ADVANTIUM MICROWAVE OVEN			30" CONVECTION MICROWAVE OVEN				
		CAFÉ	MONOGRAM	GE	GE PROFILE™	CAFÉ	MONOGRAM	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ	GE	GE PROFILE™	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ	MONOGRAM	GE PROFILE™	CAFÉ
		CTS90FP	ZTSXIFP	JTS5000 JTS3000	PTS9000 PTS7000 PTS700L PTS700R	CTS90DP CTS70DP CTS70DM	ZTSXIDP ZTS90DP ZTS90DS	CMB903P	ZMB9031 ZMB9032	PTS9200	CTS92DM	JKS5000 JKS3000	PKS7000	CKS70DP CKS70DM	ZKS90DS ZKS90DP	PSB9120SVSS	CSB913**V**	ZSB913**V**	PSB9100SVSS	CSB912**V**	ZSB912**V**	PWV7030SVSS	CWB713PWVSI			
30" ELECTRIC COOKTOP	GE JEP5030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE JP5030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE JP3530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE JP3030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE PROFILE PEP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE PROFILE PEP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE PROFILE PP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE PROFILE PP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	CAFÉ CP9530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	CAFÉ CEP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	CAFÉ CEP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	MONOGRAM ZEU30R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	36" ELECTRIC COOKTOP	GE JEP5036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
		GE JP5036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
GE JP3036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
GE JP3536		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
GE PROFILE PEP7036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
GE PROFILE PEP9036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
GE PROFILE PP7036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CAFÉ CP9536		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CAFÉ CEP7036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CAFÉ CEP9036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
MONOGRAM ZEU36R		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
30" GAS COOKTOP		GE JGP3030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
		GE JGP3530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
		GE JGP5030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE JGP5530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	PROFILE PGP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	PROFILE PGP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CGP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CGP9530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	MONOGRAM ZGU30R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	36" GAS COOKTOP	GE JGP3036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
GE JGP5036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
GE JGP5536		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
PROFILE PGP7036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
PROFILE PGP9036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
CAFÉ CGP7036		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
CAFÉ CGP9536		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
MONOGRAM ZGU36R		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
MONOGRAM ZGU36E		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
30" INDUCTION COOKTOP		GE PROFILE PHP6030*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	GE PROFILE PHP7030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	GE PROFILE PHP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CHP9030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CHP9530	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	MONOGRAM ZHU30R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
36" INDUCTION COOKTOP	GE PROFILE PHP6036*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	GE PROFILE PHP7036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	GE PROFILE PHP9036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CHP9036	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	CAFÉ CHP9536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	MONOGRAM ZHU36R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		

\*The support surface for steam oven can be no less than 26-7/8" from the counter top surface.  
\*Installed over 1 wall oven only and cannot be installed with 2 wall ovens side by side.