



Front Load Gas Dryer – 8.0 Cu. Ft.

Dryer

Available Products: ELFG7337AW

Available Colors: White

Version: 08/25

Product Specifications

Dryer

Air Flow	200 CFM
Drum Back Type	Painted Steel
Drum Material	Painted Steel
Dryness Level Selections	Yes
Heating Element	20000 BTU
Lint Filter	Yes
Moisture Sensor	Yes

Dryer Options

Delay Start Time	1-12 Hours
Dry Boost	Yes
Extended Tumble	Yes
Wrinkle Release	Yes

Dryness Level

High	Yes
Normal	Yes
Low	Yes
Damp	Yes

Exterior

Door Latch	Yes
Reversible Door	Yes

Electrical Specifications

Minimum Circuit Required	15 Amps
Voltage Rating	120 V

Installation

Optional Pedestal	Yes
Power Cord Included	Yes
Ventilation Type	Vented

Performance Certifications and Approvals

ENERGY STAR Certified	Yes
-----------------------	-----

Dryer Cycles

Cycle Count	7
Bulky	Yes
Delicates	Yes
Fast Dry	Yes
Heavy Duty	Yes
Normal	Yes
Timed Dry Time	Yes
Towels	Yes

Drying Temperatures

Low	Yes
Normal	Yes
High	Yes
Eco Dry	Yes

Controls

Cancel	Yes
Control Lock	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes

Dimensions and Volume

Height	38"
Width	27"
Depth	32"
Dryer Drum Capacity	8 Cu. Ft.

Energy Data

Combined Energy Factor (CEF)	3.93
kWh/cycle	2.19 kWh
kWh/year	710 kWh


General Specifications

Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year

Safety Certifications and Approvals

UL Listed

Yes

Installation Diagram**Dryer dimensions**

* Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹ Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).

² Drain hose length on washer approximately 59 inches (150 cm).

³ Power supply cord length on washer approximately 60 inches (152.5 cm).

Front Load Gas Dryer – 8.0 Cu. Ft.	5476
Available Products: ELFG7337AW	Available Colors: White
Version: 08/25	