QUICK REFERENCE GUIDE > HC30DCXB4 Date: 15.09.2025 > 1

30" Series 7 Box Chimney Wall Range Hood

Series 7 | Contemporary



This Contemporary style range hood extracts steam, grease and cooking odors quietly and efficiently.

- With four fan speeds, select the perfect extraction rate for your cooking
- Energy-efficient LED lighting to illuminate your cooking surface
- · Powerful maximum air movement of 400CFM
- Wi-Fi enabled for notifications through the SmartHQ[™] app
- Wi-Fi enabled for notifications through the SmartHQ™ app

DIMENSIONS

Height 25 - 40 3/4 "
Width 29 3/4 "
Depth 19 11/16 "

FEATURES & BENEFITS

Quiet And Effective

Featuring perimeter extraction, four fan speeds, and a boost function, this range hood provides powerful extraction to quickly remove odors and steam. Odors can linger in the kitchen well after cooking is finished so the timer keeps the hood working for up to 15 minutes before automatically turning off.

Quiet And Effective

Featuring perimeter extraction, four fan speeds, and a boost function, this range hood provides powerful extraction to quickly remove odors and steam. Odors can linger in the kitchen well after cooking is finished so the timer keeps the hood working for up to 15 minutes before automatically turning off.

Simple Controls

The intuitive control panel responds to the touch of your finger. LED strip lighting illuminates the entire cooktop surface for the perfect sear or ideal reduction. Range hood settings, including temperature and fan speed, can be controlled via the SmartH Q^{TM} app, with additional voice control options for fan speeds and lighting.

Easy Cleaning

Designed for simple removal, the filters are easy to clean and dishwasher safe, while the glass and stainless steel finish is easily wiped clean. The SmartHQ $^{\text{TM}}$ app will notify you when to clean the filter to ensure you get the best performance out of your range hood.

Complementary Design

The stainless steel finish of this vent hood will complement any contemporary kitchen and is designed to match the rest of Fisher & Paykel kitchen appliance family.

Easy Installation

This range hood is the perfect partner to your Fisher & Paykel cooktop. It can be either externally ducted or internally recirculated, making it perfect for apartments.

Simple Controls

The intuitive control panel responds to the touch of your finger. LED strip lighting illuminates the entire cooktop surface for the perfect sear or ideal reduction. Range hood settings, including temperature and fan speed, can be controlled via the SmartHQ™ app, with additional voice control options for fan speeds and lighting.

The Perfect Pair

Achieve kitchen perfection by pairing this rangehood with a compatible cooktop. The fan speed will automatically adjust to suit the cooktop power levels, eliminating the need for manual adjustments.

Easy Cleaning

Designed for simple removal, the filters are easy to clean and dishwasher safe, while the glass and stainless steel finish is easily wiped clean. The SmartHQ $^{\text{TM}}$ app will notify you when to clean the filter to ensure you get the best performance out of your range hood.

Complementary Design

QUICK REFERENCE GUIDE > HC30DCXB4

The stainless steel finish of this vent hood will complement any contemporary kitchen and is designed to match the rest of Fisher & Paykel kitchen appliance family.

Easy Installation

This range hood is the perfect partner to your Fisher & Paykel cooktop. It can be either externally ducted or internally recirculated, making it perfect for apartments.

SPECIFICATIONS

Accessories (sold separately)	
Chimney extension	791774
Recirculation carbon filter	793602
Recirculation diverter	792580
Fan ratings	
i dii latings	
Maximum air movement	400 CFM
Maximum speed sound rating	9.5 sones
Speed 1 sound rating	1.3 sones
Installation and cleaning	
Air outlet size	6 "
Dishwasher safe filters	2
Ducted	Top extraction
Recirculation	Optional - top extraction
Stainless steel filter cover	•

Surface
4
Mesh
2

Power Requirements

Rated current	5.2 A
Supply frequency	60 Hz
Supply voltage	120 V

Product Dimensions

Depth	19 11/16 "
Height	25 - 40 3/4 "
Width	29 3/4 "

Ventilation features

SKU

Auto-off/Run-on timer	•
Dimmable lights	•
Filter cleaning alert	•
Light type	LED
Smart appliance	•
Timer function	•

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\underline{\downarrow}$	2D-DWG Wall Rangehood
\underline{ullet}	2D-DXF Wall Rangehood
\underline{ullet}	Data Sheet Rangehood
\underline{ullet}	Installation Guide EN
\underline{ullet}	Installation Guide FR
\underline{ullet}	Installation Guide SP
\underline{ullet}	Right To Repair Declaration (English, French)
\underline{ullet}	User Guide Wall Rangehood EN
$\underline{\downarrow}$	Guide d'utilisation FR

Where applicable:

50209

Guía del usuario ES

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Performance

QUICK REFERENCE GUIDE > HC30DCXB4 Date: 15.09.2025 > 3

