

MONOGRAM

FRONT VIEW

Overall width: 41 1/2" (105.4)
 Overall height: 83 1/2" min to 84 1/2" max (212.1-214.6)
 *Trim will overlap additional 7/16"

Top panel dimensions:
 Top panel width: 18" (45.7)
 Top panel height: 6" (15.2)
 Top panel label: E

Bottom panel dimensions:
 Bottom panel width: 5" (12.7)
 Bottom panel height: 3 1/2" (8.9)
 Bottom panel label: WATER

Side panel dimensions:
 Side panel height: 75" (190.5)
 From floor to bottom of electrical area

SIDE VIEW

Overall width: 24" (60.9)
 Overall height: 83 1/2" (212.1) min to 84 1/2" (214.6) max
 *Trim will overlap additional 7/16"

Top panel dimensions:
 Top panel width: 3 1/2" (8.9)
 Top panel label: C

Bottom panel dimensions:
 Bottom panel width: 3/4" (1.91)
 Bottom panel label: W

Back

HELPFUL TIPS

- ☐ A minimum 3 1/2" (8.9) finished return matching cabinet exterior recommended on interior on all sides and top at front of opening
- In a side-by-side installation of a left-and-right-hand door swing product, minimum 1/2" clearance between the units is required. Also required is Side-by-Side Heater/Dual Installation Kit, ZKUN, 42" trim kit, ZKR42N and 42" stainless toekick ZKK42P.

For retro fit installations, both units can be plugged into the same electrical supply receptacle.

ATTENTION ELECTRICIAN:

A 115 volt 60Hz., 15 or 20 amp supply is recommended for each product. An individual properly grounded branch circuit or circuit breaker is recommended. Install a properly grounded 3-prong electrical receptacle recessed into the back wall. Electrical must be located on rear wall as shown.

⚠ WARNING:


When installing appliance, you must use and follow the product installation instructions. These can be found with unit or on web at monogram.com.

This document is intended for cabinet and panel construction only.

MONOGRAM 42" BUILT-IN COLUMNS RETROFIT



RETROFIT 3/4" PANEL DIMENSIONS DUAL
INSTALLATION WITH 18" FREEZER, ZIF181NPNII
AND 24" REFRIGERATOR, ZIR241NPNII



PANEL DIMENSIONS

A	B	C
79 7/8"	17 9/16"	23 9/16"

HELPFUL TIPS

- Refrigerators and freezers are designed to be customized with decorative panels. Field-installed 3/4" custom door panels are required.
- Maximum total panel weight: 45 lbs
Note: For panels constructed with rails and stiles (5-panel), the rails and stiles must be a minimum of 2" wide.
- For Custom Panels: Use templates provided with units to pre-drill holes for mounting panel brackets (provided with unit). Adjustment screws and instructions also provided with units.
- Requires custom handle from cabinet maker.
- Stainless steel handle and panel options:
ZK1SN189NLH: Left-hand 18" stainless steel door panel
ZK1SN184NRH: Right-hand 18" stainless steel door panel
ZK1SN249NLH: Left-hand 24" stainless steel door panel
ZK1SN244NRH: Right-hand 24" stainless steel door panel
ZKSP1H1CNSS: Minimalist handle for stainless steel panels only
ZKSP1H1PNSS: Statement handle for stainless steel panels only

MONOGRAM

FRONT VIEW

Overall width: 47 1/2" (120.7)
 Distance from right edge to center of 'E': 20" (50.8)
 Distance from top edge to center of 'E': 6" (15.2)
 Width of 'E': 5" (12.7)
 Distance from bottom edge to center of 'E': 75" (190.5) From floor to bottom of electrical area
 Distance from left edge to center of 'E': 5" (12.7)
 Distance from right edge to center of 'E': 5" (12.7)
 Distance from bottom edge to center of 'E': 3 1/2" (8.9)
 *83 1/2" min
 *84 1/2" max (212.1-214.6)
 *Trim will overlap additional 7/16"

SIDE VIEW

Overall depth: 24" (60.9)
 Distance from front edge to back of 'E': 3 1/2" (8.9)
 Distance from back edge to front of 'E': 3/4" (1.91)
 Label: **Back**

HELPFUL TIPS

- In a side-by-side installation of a left-and-right-hand door swing product, minimum 1/2" clearance between the units is required. Also required is Side-by-Side Heater/Dual Installation Kit, ZKRUN, 48" trim kit ZKR48N and 48" stainless toe kick ZKR48N.

For retro fit installations, both units can be plugged into the same electrical supply receptacle.

ATTENTION ELECTRICIAN:

A 115 volt 60Hz., 15 or 20 amp supply is recommended for each product. An individual properly grounded branch circuit or circuit breaker is recommended. Install a properly grounded 3-prong electrical receptacle recessed into the back wall. Electrical must be located on rear wall as shown.

⚠ WARNING:


When installing appliance, you must use and follow the product installation instructions. These can be found with unit or on web at monogram.com.

This document is intended for cabinet and panel construction only.

MONOGRAM 48" BUILT-IN COLUMNS RETROFIT




RETROFIT 3/4" PANEL DIMENSIONS DUAL INSTALLATION WITH 18" FREEZER, ZIF181NPNII AND 30" REFRIGERATOR, ZIR301NPNII



PANEL DIMENSIONS

A	B	C
79 7/8"	17 9/16"	29 9/16"

RETROFIT 3/4" PANEL DIMENSIONS DUAL INSTALLATION WITH 24" FREEZER, ZIF241NPNII AND 24" REFRIGERATOR, ZIR241NPNII



PANEL DIMENSIONS

A	B
79 7/8"	23 9/16"

HELPFUL TIPS

- Refrigerators and freezers are designed to be customized with decorative panels. Field-installed 3/4" custom door panels are required.
- Maximum total panel weight: 45 lbs
Note: For panels constructed with rails and stiles (5-panel), the rails and stiles must be a minimum of 2" wide.
- For Custom Panels: Use templates provided with units to pre-drill holes for mounting panel brackets (provided with unit). Adjustment screws and instructions also provided with units.
- Requires custom handle from cabinet maker.
- Stainless steel handle and panel options:
 - ZK1SN189NLH: Left-hand 18" stainless steel door panel
 - ZK1SN184NRH: Right-hand 18" stainless steel door panel
 - ZK1SN249NLH: Left-hand 24" stainless steel door panel
 - ZK1SN244NRH: Right-hand 24" stainless steel door panel
 - ZK1SN309NLH: Left-hand 30" stainless steel door panel
 - ZK1SN304NRH: Right-hand 30" stainless steel door panel
 - ZKSP1H1CNSS: Minimalist handle for stainless steel panels only
 - ZKSP1H1PNSS: Statement handle for stainless steel panels only

MONOGRAM 30" INTEGRATED REFRIGERATOR

ZIR301NPNII



FULLY INTEGRATED COLUMN DESIGN

With concealed hinge offers a look of seamless perfection that installs flush with surrounding cabinetry

STATEMENT AND MINIMALIST COLLECTION REFRIGERATOR HANDLES (SOLD SEPARATELY)

Designed to enhance choice and customization, Statement and Minimalist Collection refrigerators do not come with handles. Handles must be chosen separately and ordered through a Monogram representative

PANEL-READY EXTERIOR WITH SIX-WAY ADJUSTABILITY

Accepts Statement or Minimalist Collection stainless steel panels ordered separately from Monogram or custom panel & handle from your cabinet maker

RETROFIT CAPABILITY

Allows you to replace a 48" or 42" built-in side-by-side refrigerator with two column refrigerators with no cabinet or electrical modifications

RAMP-UP LED INTERIOR LIGHTING

Throughout the fresh food compartment accentuates the sophisticated interior and allows easy viewing of contents

AUTOFILL PITCHER

Automatically refills when placed on its dock inside the refrigerator, so you'll have a pitcher of chilled, filtered water ready anytime

REMOTE CONNECTIVITY VIA WIFI

Allows you to wirelessly control refrigerator settings from your smartphone, using an available app

ADJUSTABLE GLASS SHELVES WITH INTEGRATED LED LIGHTING

Provide convenient storage and a clean appearance

FINELY CRAFTED, ADJUSTABLE ALUMINUM DOOR BINS WITH GLASS ACCENTS

Offer easy access to beverages and quick-grab items

UPFRONT, ELECTRONIC-TOUCH CONTROLS

Make it easy to adjust climate settings to create ideal food storage conditions

TEMPERATURE-CONTROLLED DRAWER

Offers added storage flexibility with pre-programmed settings for meat, beverage, and deli

SOFT-CLOSE DRAWERS

Use an innovative sliding mechanism to help the drawers close gently and completely

HUMIDITY-CONTROLLED VEGETABLE DRAWER

Helps preserve the freshness of foods

DEDICATED EVAPORATOR SEALED SYSTEM

Helps maintain a precise temperature throughout the fresh food compartment

WATER FILTRATION SYSTEM

Supplies you with clean, fresh-tasting water

SABBATH MODE

Designed to disable functions in accordance with Sabbath-observing practices

MONOGRAM 24" INTEGRATED REFRIGERATOR

ZIR241NPNII



FULLY INTEGRATED COLUMN DESIGN

With concealed hinge offers a look of seamless perfection that installs flush with surrounding cabinetry

STATEMENT AND MINIMALIST COLLECTION REFRIGERATOR HANDLES (SOLD SEPARATELY)

Designed to enhance choice and customization, Statement and Minimalist Collection refrigerators do not come with handles. Handles must be chosen separately and ordered through a Monogram representative

PANEL-READY EXTERIOR WITH SIX-WAY ADJUSTABILITY

Accepts Statement or Minimalist Collection stainless steel panels ordered separately from Monogram or custom panel & handle from your cabinet maker

RETROFIT CAPABILITY

Allows you to replace a 48" or 42" built-in side-by-side refrigerator with two column refrigerators with no cabinet or electrical modifications

RAMP-UP LED INTERIOR LIGHTING

Throughout the fresh food compartment accentuates the sophisticated interior and allows easy viewing of contents

AUTOFILL PITCHER

Automatically refills when placed on its dock inside the refrigerator, so you'll have a pitcher of chilled, filtered water ready anytime

REMOTE CONNECTIVITY VIA WIFI

Allows you to wirelessly control refrigerator settings from your smartphone, using an available app

ADJUSTABLE GLASS SHELVES WITH INTEGRATED LED LIGHTING

Provide convenient storage and a clean appearance

FINELY CRAFTED, ADJUSTABLE ALUMINUM DOOR BINS WITH GLASS ACCENTS

Offer easy access to beverages and quick-grab items

UPFRONT, ELECTRONIC-TOUCH CONTROLS

Make it easy to adjust climate settings to create ideal food storage conditions

TEMPERATURE-CONTROLLED DRAWER

Offers added storage flexibility with pre-programmed settings for meat, beverage, and deli

SOFT-CLOSE DRAWERS

Use an innovative sliding mechanism to help the drawers close gently and completely

HUMIDITY-CONTROLLED VEGETABLE DRAWER

Helps preserve the freshness of foods

DEDICATED EVAPORATOR SEALED SYSTEM

Helps maintain a precise temperature throughout the fresh food compartment

WATER FILTRATION SYSTEM

Supplies you with clean, fresh-tasting water

SABBATH MODE

Designed to disable functions in accordance with Sabbath-observing practices

MONOGRAM 24" INTEGRATED FREEZER

ZIF241NPNII



FULLY INTEGRATED COLUMN DESIGN

With concealed hinge offers a look of seamless perfection that installs flush with surrounding cabinetry

STATEMENT AND MINIMALIST COLLECTION REFRIGERATOR HANDLES (SOLD SEPARATELY)

Designed to enhance choice and customization, Statement and Minimalist Collection refrigerators do not come with handles. Handles must be chosen separately and ordered through a Monogram representative

PANEL-READY EXTERIOR WITH SIX-WAY ADJUSTABILITY

Accepts Statement or Minimalist Collection stainless steel panels ordered separately from Monogram or custom panel & handle from your cabinet maker

RETROFIT CAPABILITY

Allows you to replace a 48" or 42" built-in side-by-side refrigerator with two column refrigerators with no cabinet or electrical modifications

FINELY CRAFTED, ADJUSTABLE ALUMINUM DOOR BINS WITH GLASS ACCENTS

Offer easy access to quick-grab items

ADJUSTABLE GLASS SHELVES WITH INTEGRATED LED LIGHTING

Provide convenient storage and a clean appearance

REMOTE CONNECTIVITY VIA WIFI

Allows you to wirelessly control freezer settings from your smartphone, using an available app

REMOVABLE ICE STORAGE AND MULTIPLE SLIDE-OUT BINS

Provide added convenience

WATER FILTRATION SYSTEM

Supplies you with clean, fresh-tasting ice cubes

UPFRONT, ELECTRONIC-TOUCH CONTROLS

Make it easy to adjust climate settings to create ideal food storage conditions

RAMP-UP LED INTERIOR LIGHTING

Throughout the freezer compartment accentuates the sophisticated interior and allows easy viewing of contents

DEDICATED EVAPORATOR SEALED SYSTEM

Helps maintain a precise temperature throughout the freezer compartment

SABBATH MODE

Designed to disable functions in accordance with Sabbath-observing practices

MONOGRAM 18" INTEGRATED FREEZER

ZIF181NPNII



FULLY INTEGRATED COLUMN DESIGN

With concealed hinge offers a look of seamless perfection that installs flush with surrounding cabinetry

STATEMENT AND MINIMALIST COLLECTION REFRIGERATOR HANDLES (SOLD SEPARATELY)

Designed to enhance choice and customization, Statement and Minimalist Collection refrigerators do not come with handles. Handles must be chosen separately and ordered through a Monogram representative

PANEL-READY EXTERIOR WITH SIX-WAY ADJUSTABILITY

Accepts Statement or Minimalist Collection stainless steel panels ordered separately from Monogram or custom panel & handle from your cabinet maker

RETROFIT CAPABILITY

Allows you to replace a 48" or 42" built-in side-by-side refrigerator with two column refrigerators with no cabinet or electrical modifications

FINELY CRAFTED, ADJUSTABLE ALUMINUM DOOR BINS WITH GLASS ACCENTS

Offer easy access to quick-grab items

ADJUSTABLE GLASS SHELVES WITH INTEGRATED LED LIGHTING

Provide convenient storage and a clean appearance

REMOTE CONNECTIVITY VIA WIFI

Allows you to wirelessly control freezer settings from your smartphone, using an available app

REMOVABLE ICE STORAGE AND MULTIPLE SLIDE-OUT BINS

Provide added convenience

WATER FILTRATION SYSTEM

Supplies you with clean, fresh-tasting ice cubes

UPFRONT, ELECTRONIC-TOUCH CONTROLS

Make it easy to adjust climate settings to create ideal food storage conditions

RAMP-UP LED INTERIOR LIGHTING

Throughout the freezer compartment accentuates the sophisticated interior and allows easy viewing of contents

DEDICATED EVAPORATOR SEALED SYSTEM

Helps maintain a precise temperature throughout the freezer compartment

SABBATH MODE

Designed to disable functions in accordance with Sabbath-observing practices