QUICK REFERENCE GUIDE > RS2484SRHE1

24" Series 11 Integrated Column Refrigerator, Water

Series 11 | Integrated



Seamlessly integrate this model, installing it separately or pairing it with another Column. With a right hinge and sleek stainless steel interior, it combines functionality and style.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Fridge, Pantry, or Chill mode
- Mix and match columns, install separately or pair, and customize with cabinetry or stainless steel panels

DIMENSIONS

Height	84 "
Width	23 3/4 "
Depth	24 "

FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Perfect Fit

These models fit flush and have only 1/8" gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

PANTRY MODE

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable leveling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

.eft hinge 84" RD	ess steel Left hinge 84" RD2484L4D
Right hinge 84" RD	ess steel Right hinge 84" RD2484R4D
Al	AHCLRDSF
ound, aluminium	nporary round, aluminium AHSRDSF
quare fine, Al	nporary square fine, AHD5RDSF
quare fine, black AHI	nporary square fine, black AHD5RDSFB
nd flush Al	sional round flush AHP3RDSF
nd flush, Brass AHP3	sional round flush, Brass AHP3RDSFBA
nd flush, Dark AHP3	sional round flush, Dark AHP3RDSFDC s
A	AJ-RS84LR
А	steel 24" AKRS2404

QUICK REFERENCE GUIDE > RS2484SRHE1 Date: 24.09.2025 > 2

Toe kick stainless steel 42"	AKR\$4204	LED ceiling lighting	•
Toe kick stainless steel 48"	AKRS4804	LED lighting	•
Toe kick stainless steel 54"	AKRS5404	LED side lighting	•
Toe kick stainless steel 60"	AKRS6004	SmartTouch interface at counter height	•
Toe kick stainless steel 66"	AKRS6604	Soft-close fruit and vegetable bins	•
Toe kick stainless steel 72"	AKR\$7204	Stackable bottle holders	4
Toe kick stainless steel 78"	AKR\$7804		
Toe kick stainless steel 84"	AKRS8404		
Water filter replacement	847200 - FWC3	Performance	
		ActiveSmart™ Foodcare	•
		Dual evaporator	•
Capacity		Frost free	•
Total gross capacity	12.4 cu ft	Humidity control system	•
Volume	12.4 cu ft	Inverter controlled compressor	•
Volume refrigerator	12.4 cu ft	Sabbath mode	•
		Variable food modes lower compartment	Pantry; Fridge; Chill
Consumption		Variable temperature zones	2
Energy rating	Energy Star		
Energy usage	124kWh/year	Power Requirements	
In-use energy carbon emissions estimate	43.7kgCO2e/year		
		Rated current	10 A
		Supply frequency	60 Hz
Features		Supply voltage	115 V
Adjustable door shelves	4		
Adjustable glass cantilevered shelves	•	Product Dimensions	
Covered door shelves	1	Floudet Dimensions	
Door alarm	•	Depth	24 "
Fruit and vegetable bins	4	Height	84 "
Gallon door shelves	1	Width	23 3/4 "
LED bin lighting	•		

SKU 26905

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

$\underline{\downarrow}$	2D-DWG Integrated Refrigeration - K05 Hinge
$\overline{\downarrow}$	2D-DWG Integrated Refrigeration
↓	2D-DXF Integrated Refrigeration - K05 Hinge
<u></u>	2D-DXF Integrated Refrigeration
$\overline{\downarrow}$	2D-DXF Panel Preparation
$\overline{\downarrow}$	Energy Label
$\overline{\downarrow}$	Installation Guide EN
$\underline{\downarrow}$	Installation Guide FR
$\underline{\downarrow}$	Installation Guide SP
$\underline{\downarrow}$	Planning Guide EN
$\underline{\downarrow}$	Planning Guide Integrated Refrigeration FR
$\underline{\downarrow}$	Planning Guide Integrated Refrigeration SP
$\underline{\downarrow}$	Revit 20 Refrigerator
$\underline{\downarrow}$	Rhino 6 Refrigerator
$\underline{\downarrow}$	Right To Repair Declaration (English, Canadian French)
+ + + + + + + + + + + + + + + + + + +	SketchUp Refrigerator
\downarrow	User Guide EN

Where applicable:

User Guide FR User Guide SP QUICK REFERENCE GUIDE > RS2484SRHE1 Date: 24.09.2025 > 3

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com