



SIZE	WHITE	BLACK	STAINLESS	GREASE FILTERS (replacement)	NON-DUCTED FILTERS
30 in.	BKSH130WW	BKSH130BL	BKSH130SS	HPFAMM30 (Type C1/C2)	HPF30 (Type Xc)

A modern kitchen scene featuring a white electric range with a black cooktop. Above the range is a white range hood. The backsplash is composed of small, light-colored hexagonal tiles. The countertop is dark, and the cabinets are light wood. On the countertop to the right of the range, there is a dark blue teapot and a matching sugar bowl.

SPECIFICATION SHEET


SAHALE - BKSH1 SERIES

HVI PERFORMANCE							
Duct Orientation	Size	Damper	Sones		CFM		
			Normal	High	Normal	High 0.25 in. w.g.	High 0.1 in. w.g.
Vertical - Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	130	125	220
Horizontal - Rectangular	3¼ in. x 10 in.	Included	1.5	5.0	110	115	210
Round - Vertical	7 in.	Sold Separately	1.5	5.0	140	100	240




HVI-2100 CERTIFIED RATINGS comply with new testing technologies and procedures prescribed by the Home Ventilating Institute, for off-the-shelf products, as they are available to consumers. Product performance is rated at 0.1 and 0.25 in. static pressure at high speed based on tests conducted in an HVI-approved state-of-the-art test laboratory. Sones are a measure of humanly-perceived loudness, based on laboratory measurements.

LARGEUR	BLANC	NOIR	INOX	FILTRES À GRAISSES (remplacement)	FILTRES DE RECIRCULATION
30 po	BKSH130WW	BKSH130BL	BKSH130SS	HPFAMM30 (Type C1/C2)	HPF30 (Type Xc)

A modern kitchen scene featuring a white electric range with a black cooktop. Above the range is a white range hood. The backsplash is composed of small, light-colored hexagonal tiles. The cabinets are light wood, and the countertop is dark. On the countertop to the right of the range, there is a dark blue teapot and a matching sugar bowl.

Les dimensions indiquées sont en pouces.

RENDEMENT HVI							
Orientation du conduit	Largeur	Volet	Sones		pi³/min		
			Normale	Haute	Normale	Haute 0,25 po d'eau	Haute 0,1 po d'eau
Rectangulaire vertical	3¼ po x 10 po	inclus	1,5	5,0	130	125	220
Rectangulaire horizontal	3¼ po x 10 po	inclus	1,5	5,0	110	115	210
Rond vertical	7 po	vendu séparément	1,5	5,0	140	100	240



L'HOMOLOGATION HVI-2100 est conforme aux nouvelles techniques et procédures d'essai prescrites par le Home Ventilating Institute pour les produits d'emploi courant, dès leur disponibilité pour les consommateurs. Le rendement du produit est évalué à une pression statique de 0,1 po et de 0,25 po en haute vitesse d'après les tests effectués dans un laboratoire d'essai ultra-perfectionné approuvé par le HVI. Le sone est une mesure de la perception humaine de la puissance sonore, d'après des mesures effectuées en laboratoire.