

## KMR 1354-3 LP EDST/CLST RangeTop



- Professional design – 48 (1219) in (mm) wide in stainless steel with Clean Touch Steel™ finishing
- Direct control – metal knobs with light ring
- Easy cleaning – ComfortClean dishwasher-safe grates
- Broad performance spectrum – burner w. up to 19,500 BTU (5.7 kW)
- Convenient and safe – automatic re-ignition for all burners

EAN: 4002516537052 / Material number: 11852570 / Old Material Number: 26135471USA

| Heating type                              |                         |
|---|-------------------------|
| Fuel type                                 | Gas                     |
| Construction type                         |                         |
| Rangetop                                  | •                       |
| Design                                    |                         |
| Casing                                    | Stainless steel         |
| Front panel                               | CleanSteel              |
| Genuine metal knobs                       | •                       |
| Cast iron pot rest (matte black enameled) | •                       |
| Cooktop features                          |                         |
| ReStart                                   | •                       |
| Ring features                             |                         |
| Number of gas burners                     | 8                       |
| 1st cooking zone/cooking area             |                         |
| Position                                  | front left              |
| Type                                      | Ultra high-speed burner |
| Minimum power output in BTU/hr            | 1700                    |
| Max. rating in W                          | 5700                    |
| Maximum power output in BTU/hr            | 19500                   |
| 2nd cooking zone/cooking area             |                         |
| Position                                  | rear left               |
| Type                                      | High-speed burner       |
| Minimum power output in BTU/hr            | 1200                    |
| Max. rating in W                          | 2900                    |
| Maximum power output in BTU/hr            | 12500                   |
| 3rd cooking zone/cooking area             |                         |
| Position                                  | Rear center left        |
| Type                                      | Ultra high-speed burner |
| Minimum power output in BTU/hr            | 1700                    |
| Max. rating in W                          | 4000                    |
| Maximum power output in BTU/hr            | 19500                   |
| 4th cooking zone/cooking area             |                         |
| Position                                  | Rear center right       |
| Type                                      | Ultra high-speed burner |
| Minimum power output in BTU/hr            | 1700                    |
| Max. rating in W                          | 4000                    |
| Maximum power output in BTU/hr            | 19500                   |
| 5th cooking zone/cooking area             |                         |
| Position                                  | rear right              |
| Type                                      | High-speed burner       |
| Minimum power output in BTU/hr            | 1200                    |
| Maximum power output in BTU/hr            | 12500                   |
| Max. rating in W                          | 2900                    |
| 6th cooking zone/cooking area             |                         |
| Position                                  | front right             |
| Type                                      | Ultra high-speed burner |
| Minimum power output in BTU/hr            | 1700                    |
| Maximum power output in BTU/hr            | 19500                   |
| Max. rating in W                          | 5700                    |


## KMR 1354-3 LP EDST/CLST RangeTop



EAN: 4002516537052 / Material number: 11852570 / Old Material Number: 26135471USA

| 7th cooking zone/cooking area                   |                         |
|---|-------------------------|
| Position  | Center right front      |
| Type  | Ultra high-speed burner |
| Minimum power output in BTU/hr                  | 1700                    |
| Maximum power output in BTU/hr                  | 19500                   |
| Max. rating in W                                | 5700                    |
| 8th cooking zone/cooking area                   |                         |
| Position  | Center left front       |
| Type  | Ultra high-speed burner |
| Minimum power output in BTU/hr                  | 1700                    |
| Maximum power output in BTU/hr                  | 19500                   |
| Max. rating in W                                | 5700                    |
| True Simmer function                            | •                       |
| Control panel                                   |                         |
| Operation via genuine metal knobs with backlit  | •                       |
| Cleaning convenience                            |                         |
| Dishwasher-safe trivets                         | •                       |
| Single-piece cooktop surround                   | •                       |
| Technical data                                  |                         |
| Width in in. (mm)                               | 48 (1219)               |
| Height in in. (mm)                              | 7 5/8 (191)             |
| Dimensions (depth) in in. (mm) with bullnose    | 27 1/4 (692)            |
| Appliance depth in in. (depth) without bullnose | 25 5/8 (650)            |
| Total output in BTU/hr                          | 142000                  |
| Weight in kg                                    | 149 (68)                |
| Total rated load in kW                          | 41.60                   |
| Voltage in V                                    | 120                     |
| Fuse rating in A                                | 10                      |
| Number of phases                                | 1                       |
| Power cord length in ft. (m)                    | 3 (1.2)                 |

## KMR 1354-3 LP EDST/CLST RangeTop



KMR 1354 G/LP, KMR 1355 G/LP, KMR 1356 G/LP  
(installation drawings)

1) Side view, 2) Front view, 3) Rear view, 4) Gas  
connection, 5) Electrical connection,