



## 36" Front Control Freestanding Gas Range

### Gas Range

Available Products: ECFG3668AS

Available Colors: Stainless Steel

Version: 02/23

## Product Specifications

### Cooktop

|                      |            |
|----------------------|------------|
| Cooking Surface Type | Gas        |
| Grate Material       | Cast Iron  |
| Grate Quantity       | 3          |
| Grate Style          | Continuous |
| Sealed Burners       | Yes        |

### Cooking Controls

|                     |     |
|---------------------|-----|
| Bake                | Yes |
| Bread Proof         | Yes |
| Broil               | Yes |
| Child Lock          | Yes |
| Convection Bake     | Yes |
| Convection Roast    | Yes |
| Cook Time           | Yes |
| Delay Start         | Yes |
| Keep Warm           | Yes |
| Kitchen Timer       | Yes |
| Probe               | Yes |
| Self Clean          | No  |
| Temperature Display | Yes |

### Controls

|              |    |
|--------------|----|
| Sabbath Mode | No |
|--------------|----|

### Dimensions and Volume

|                          |             |
|--------------------------|-------------|
| Minimum Height           | 35 9/16"    |
| Maximum Height           | 36 9/16"    |
| Width                    | 35 15/16"   |
| Depth                    | 25 7/8"     |
| Depth With Door 90° Open | 43 15/16"   |
| Oven Interior Height     | 15 1/16"    |
| Oven Interior Width      | 28 7/16"    |
| Oven Interior Depth      | 17 1/2"     |
| Oven Capacity            | 4.4 Cu. Ft. |

### Installation

|                            |              |
|----------------------------|--------------|
| Adjustable Leveling Legs   | Yes          |
| LP Conversion Kit Included | Yes          |
| Plinth                     | Yes          |
| Included Power Cord Type   | 3-Prong Plug |

### Certifications and Approvals

|               |     |
|---------------|-----|
| ADA Compliant | Yes |
|---------------|-----|

### Cooktop Performance

|                             |                       |
|-----------------------------|-----------------------|
| Right Front Element Burner  | 18,000 / 750 BTU Dual |
| Right Rear Element Burner   | 12,000 / 750 BTU Dual |
| Left Front Element Burner   | 18,000 / 750 BTU Dual |
| Left Rear Element Burner    | 12,000 / 750 BTU Dual |
| Center Front Element Burner | 12,000 / 750 BTU Dual |
| Center Rear Element Burner  | 12,000 / 750 BTU Dual |

### Oven

|                           |                    |
|---------------------------|--------------------|
| Bake Element              | 17,000 BTU         |
| Bake Element Type         | Hidden             |
| Broil Element             | 14,000 BTU         |
| Convection                | Yes                |
| Convection Element        | 1,000 Watts        |
| Convection Type           | True               |
| Number of Convection Fans | 1                  |
| Number of Rack Positions  | 5                  |
| Oven Interior Color       | Gray               |
| Oven Light Quantity       | 2                  |
| Oven Light Type           | Halogen            |
| Oven Light Watts          | 40 Watts           |
| Rack Position Type        | Ladder             |
| Rack Type 1               | Flat               |
| Rack Type 1 Quantity      | 2                  |
| Rack Type 2               | Glide              |
| Rack Type 2 Quantity      | 1                  |
| Window Type               | Extra Large Visual |

### Display

|                     |       |
|---------------------|-------|
| Control Location    | Front |
| Display Light Color | White |
| Display Type        | LED   |

### Electrical Specifications

|                          |          |
|--------------------------|----------|
| Amps @ 120 Volts         | 9.2 Amps |
| Connected Load @ 120V    | 1.1 kW   |
| Minimum Circuit Required | 15 Amps  |

### General Specifications


|                  |        |
|------------------|--------|
| Warranty - Labor | 1 Year |
| Warranty - Parts | 1 Year |

Safety Certifications and Approvals

|            |     |
|------------|-----|
| CSA Listed | Yes |
| RoHS       | Yes |


Installation Diagram

Product Dimensions



- Measurement **B** varies according to the model: the minimum is obtained without the rear spacers (see "Island installation") and the maximum is obtained for traditional installation (slot-in installation - with the rear spacers).
- Measurement **C** refers to the open door.

Cabinet clearances



Clearance **J** can have the following values:

- J = 42" / 1067 mm** minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet.
- J = 30" / 762 mm** minimum when the bottom of wood or metal cabinet is protected by not less than 1/4-inch-thick flame-retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015-inch-thick stainless steel, 0.024-inch-thick aluminum, or 0.020-inch-thick copper. Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and are not certified by CSA. Clearances of less than 30" should be approved by the local codes and/or by the local authority having jurisdiction.

|                                          |                                   |
|------------------------------------------|-----------------------------------|
| 36" Front Control Freestanding Gas Range | Gas Range                         |
| Available Products: ECFG3668AS           | Available Colors: Stainless Steel |
| Version: 02/23                           |                                   |