

# 30" Series 9 Classic 4 Zone Induction Self-Cleaning Range

Series 9 | Classic



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

## DIMENSIONS

|        |                   |
|--------|-------------------|
| Height | 35 3/4 - 37 5/8 " |
| Width  | 29 7/8 "          |
| Depth  | 25 1/4 "          |

## FEATURES & BENEFITS

### Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake.

### Power & Control

The induction cooktop provides instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Generous Capacity

The generous 3.5 cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.

### Quality And Durability

Every detail has been carefully crafted, from the heritage design cues, to the solid, perfectly balanced soft-close door, and to the chromed cast zinc dials. They all add up to an exceptional, premium range.

### Easy To Clean

The self-clean function reduces grease and food residue to an easily removable light ash and the cooktop simply needs a quick wipe to keep it looking good as new. The oven door and runners can also be removed for easy cleaning.

### Safe And Sound

Designed for your safety and convenience, this range features full extension telescopic sliding shelves, a triple-glazed CoolTouch door, and a child lock.

## SPECIFICATIONS

### Accessories (included)

|                                              |                      |
|----------------------------------------------|----------------------|
| 2-pc grill system (Broil pan and Grill rack) | •                    |
| Broil pan                                    | •                    |
| Full extension sliding shelves               | 2 sets (part 578776) |
| Full extension telescopic shelves            | 2 sets (part 578776) |

### Accessories (sold separately)

|                                        |            |
|----------------------------------------|------------|
| Kick strip, black (optional)           | KICKOR30B1 |
| Kick strip, red (optional)             | KICKOR30R1 |
| Kick strip, stainless steel (optional) | KICKOR30X1 |
| Kick strip, white (optional)           | KICKOR30W1 |
| Wok grate included                     | N/A        |

### Capacity

|                 |           |
|-----------------|-----------|
| Shelf positions | 7         |
| Total capacity  | 3.5 cu ft |
| Usable capacity | 2.9 cu ft |

### Cleaning

|                                |   |
|--------------------------------|---|
| Acid resistant graphite enamel | • |
| Drop down grill element        | • |

|                                                     |   |                              |                                  |                                           |                   |
|-----------------------------------------------------|---|------------------------------|----------------------------------|-------------------------------------------|-------------------|
| Flat easy clean glass surface                       | • | True convection              | •                                | Self Cleaning Sf                          | Yes               |
| Pyrolytic proof shelf runners                       | • |                              |                                  |                                           |                   |
| Pyrolytic self-clean                                | • |                              |                                  |                                           |                   |
| Removable oven door                                 | • | Oven functions               |                                  | Product Dimensions                        |                   |
| Removable shelf runners                             | • | Aero Broil                   | •                                | Depth                                     | 25 1/4 "          |
|                                                     |   | Aero™ Bake                   | •                                | Height                                    | 35 3/4 - 37 5/8 " |
|                                                     |   | Aero™ Pastry with Pizza mode | •                                | Width                                     | 29 7/8 "          |
|                                                     |   | Bake                         | •                                |                                           |                   |
| Controls                                            |   | Number of functions          | 9                                |                                           |                   |
| Audio feedback                                      | • | Pyrolytic self-clean         | •                                | Rangetop features                         |                   |
| Automatic cooking/minute timer                      | • | Rapid proof                  | •                                | Auto heat reduce                          | •                 |
| Automatic pre-set temperatures                      | • | Roast                        | •                                | Gentle heat                               | •                 |
| Celsius/Fahrenheit temperature                      | • | True Aero                    | •                                | Heat settings                             | 9                 |
| Electronic clock                                    | • | True convection              | •                                | Induction cooking technology              | •                 |
| High resolution display                             | • |                              |                                  |                                           |                   |
| Laser etched graphics                               | • |                              |                                  |                                           |                   |
| Precise electronic temperature control              | • | Oven performance             |                                  | Rangetop Performance                      |                   |
| Sabbath mode                                        | • | Broil power                  | 4050 W                           | PowerBoost                                | •                 |
| Toughened fused glass graphics                      | • | CoolTouch door               | Triple glazed                    |                                           |                   |
| Turned stainless steel clock buttons                | • | Warming drawer power         | 220 W                            |                                           |                   |
| Turned stainless steel dials with illuminated halos | • |                              |                                  |                                           |                   |
|                                                     |   |                              |                                  | Safety                                    |                   |
| Main oven functions                                 |   | Power Requirements           |                                  | ADA compliant                             | •                 |
| Warm                                                | • | Connection                   | 4-prong [NEMA 14-50P power cord] | Advanced cooling system                   | •                 |
|                                                     |   | Service                      | 40 A                             | Anti-tilt bracket                         | •                 |
|                                                     |   | Supply frequency             | 60 Hz                            | Balanced oven door                        | •                 |
| Oven features                                       |   | Supply voltage               | 208 -240 V                       | Catalytic venting system                  | •                 |
| Automatic rapid pre-heat                            | • |                              |                                  | Child lock                                | •                 |
| Electronic oven control                             | • |                              |                                  | CoolTouch door                            | •                 |
| Full extension telescopic sliding shelves           | • | Product Details              |                                  | Full extension telescopic sliding shelves | •                 |
| Soft open/close door                                | • |                              |                                  | Non-tip shelves                           | •                 |
|                                                     |   |                              |                                  | Pan detection system                      | •                 |

|                        |            |
|------------------------|------------|
| Safety time out        | •          |
| Spill containment      | 68.13 L    |
| Spill containment      | 1/8 gallon |
| Spillage auto off      | •          |
| Surface hot indicators | •          |

|     |       |
|-----|-------|
| SKU | 81963 |
|-----|-------|

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓](#) Installation Guide EN
- [↓](#) Installation Guide FR
- [↓](#) Revit Induction Range
- [↓](#) Rhino Induction Range
- [↓](#) Right To Repair Declaration (English, French)
- [↓](#) Sketchup Induction Range
- [↓](#) User Guide EN
- [↓](#) User Guide FR

Where applicable: