QUICK REFERENCE GUIDE > RGV3-486GD-N Date: 11.09.2025 > 1

48" Series 7 Professional 6 Burner with Griddle Gas Range, Natural Gas

Series 7 | Professional



With Professional styling, this large range has six burners delivering powerful high heat, a griddle and two gas ovens.

- Griddle with burners that deliver up to 23,500 BTU heat per burner, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavitiy for safe removal of hot dishes
- · Made from quality materials and real stainless steel

DIMENSIONS

Height	35 3/4 - 36 3/4 "
Width	47 7/8 "
Depth	29 1/8 "

FEATURES & BENEFITS

Generous Capacity

Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey. The griddle plate allows you to cook several foods at once.

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

Easy To Clean

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Burner ratings	
Maximum burner power	23500 BTU
Power back centre	18500BTU
Power back left	18500BTU
Power back right	18500BTU
Power front centre	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Power griddle	16500BTU
Total cooktop power	132500 BTU

Capacity

Shelf positions (main oven)	5
Shelf positions (second oven)	5
Total capacity (main oven)	5.3 cu ft
Total capacity second oven	2.4 cu ft
Usable capacity (main oven)	3.9 cu ft

Cleaning

Easy clean porcelain basepan	
Easy clean porceiain paseban	

Controls

Metal illuminated dials

QUICK REFERENCE GUIDE > RGV3-486GD-N

Gas Requirements		Bake	•	Recommended Back Guards Ventilation	
Fitting and pipe	½ NPT, min. 5⁄8″ 🛚	Broil	•	Combustible situation	BGRV3-3048H
	flex line	Convection bake	•	Non combustible situation	BGRV2-3048 /
Supply Pressure (natural gas)	6" to 9" W.C	Number of functions	4		BGRV2-1248
		Slow cook	•	Recommended hood	HCB48-12_N (48" Professional Range Hood,
Main oven features					Dual Blower)
Broil pan	•	Oven performance			
Electronic oven control	•	Bake power	19700BTU	Safety	
Full extension telescopic racks	•	Broil	18500 BTU		
Infrared broiler	•	Secondary oven - Bake power	18000BTU	ADA compliant	•
Internal light	•				
		Power Requirements		Secondary oven features	
Main oven functions		Connection	3-prong	3/4 Extension racks	2
Bake	•		grounding type plug	Electronic oven control	•
Broil	•	Service	15 A	Internal light	•
Convection bake	•	Supply frequency	60 Hz		
Number of oven functions	4	Supply voltage	120 V	Constitution for the constitution	
Slow cook	•			Secondary oven functions	
				Bake	•
		Product Dimensions		Convection bake	•
Oven features		Depth	29 1/8 "	Number of secondary oven functions	4
Auto re-ignition system	•	Height	35 3/4 - 36 3/4 "	Proof	•
Broil pan	•	Width	47 7/8 "	Slow cook	•
Electronic oven control	•	· · · · · · · · · · · · · · · · · · ·	47.7/0		
Full extension telescopic sliding shelves	•				
Infrared Broiler	•	Rangetop features		SKU	82935
		Sealed range top	•		
Oven functions		Vent trim included	•		

QUICK REFERENCE GUIDE > RGV3-486GD-N

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020



Other product downloads available at fisherpaykel.com



Installation Guide EN

Planning Guide Professional Style Dial/Handle Accessories

↓ Revit

↓ Rhino

Right To Repair Declaration (English, French)

↓ SketchUp

↓ User Guide EN

L User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.