FRIGIDAIRE.



30" Electric Wall Oven and Microwave Combination

Microwave Combination Wall Oven

Available Products: FCWM3027AB, FCWM3027AD, FCWM3027AS

Available Colors: Black, Black Stainless Steel, Stainless Steel

Version: 10/25

Product Specifications

Cooking Controls		Cooking Controls Function	
Bake	Yes	Change between Continuous Bake Setting or 12-Hour	Yes
Bake Time	Yes	Energy Saving Feature	res
Broil	Yes	Program Fahrenheit or Celsius	Yes
Cancel	Yes	Silent Control Panel	Yes
Clock	Yes		
Convection Bake	Yes	Microwave Cooking	
Cook Time	Yes	Microwave Cooking Power	1100 Watts
Delay Start	Yes	Auto Cook	Yes
Kitchen Timer	Yes	Beverage	Yes
Light	Yes	Defrost	Yes
Off	Yes	Melt / Soften	Yes
Oven Light	Yes	Popcorn	Yes
Preheat	Yes	Potato	Yes
Self Clean	Yes	Reheat	Yes
Start	Yes	Sensor Cooking	Yes
Temperature Display	Yes	Veggies	Yes
Timer On / Off	Yes	1688160	100
		Microwave Control Features	
Oven		+ 30 Seconds	Yes
Bake Element	2600 Watts	- 50 Seconds	165
Bake Element Pass	4	Internal Carations	
Bake Element Type	Hidden	Internal Specifications	T 4 77 1 1
Broil Element	4000 Watts	Interior Color	White
Broil Element Pass	6	Interior Light Quantity	1
Cleaning System	Yes	Interior Light Type	Halogen
Convection	Yes	Interior Light Wattage Rack	25 Watts Yes
Convection Type	Fan		
Number of Convection Fans	1	Turntable Diameter	13 1/2"
Number of Rack Positions	6	Turntable Material	Glass
Oven Interior Color	Midnight Black		
Oven Light Quantity	1	— Electrical Specifications	
Oven Light Type	Halogen	Amps @ 240 Volts	40 Amps
Oven Light Watts	40 Watts	Connected Load @ 240V	7.9 kW
Rack Position Type	Embossed	Minimum Circuit Required	40 Amps
Rack Type 1	Flat	Voltage Rating	240 V
Rack Type 1 Quantity	2		
Rack Type I Quantity	Δ	— General Specifications	
Comtrolo		Frigidaire Fit Promise	Yes
Controls	77	Prop 65 Label	Yes
Control Lock	Yes	Warranty - Labor	1 Year
Sabbath Mode	Yes	Warranty - Parts	1 Year
		AB-1200	Information available at frigidaire.com/en/ab1200

30" Electric Wall Oven and Microwave Combination

5549

Available Products: FCWM3027AB, FCWM3027AD,

FCWM3027AS

WOMC3TRIMSS,

WOMC3TRIMDSS, WOMC3TRIMBLK

Available Colors: Black, Black Stainless Steel, Stainless Steel

Version: 10/25

Accessories

Optional Trim Kit Part Number

Display	
Display Interface Color	White
Display Light Color	White
Display Type	Membrane
Dimensions and Volume	
Height	42"
Width	29 7/8"
Depth	25 3/16"
Depth With Door 90° Open	48 3/16"
Depth With Handle	27 3/5"
Oven Interior Height	18 1/8"
Oven Interior Width	25 1/5"
Oven Interior Depth	19 7/8"
Microwave Interior Height	10 1/2"
Microwave Interior Width	17 3/8"
Minimum Cutout Height	41 1/4"
Minimum Cutout Width	28 1/2"
Maximum Cutout Height	42 1/8"
Maximum Cutout Width	28 3/4"
Microwave Capacity	1.6 Cu. Ft.
Oven Capacity	5.3 Cu. Ft.
Installation	
Power Supply Connection Location	Top Left
Certifications and Approvals	
Star-K Certification	Yes

Safety Certifications and Approvals	
CSA Listed	Yes

RoHS Yes UL Listed Yes

Right to Repair Details

	Partially Available - Visi
Right to Repair	frigidaire.ca/right-to-
Right to Repair	repair for more
	information


Available Products: FCWM3027AB, FCWM3027AD,


FCWM3027AS

Version: 10/25

Available Colors: Black, Black Stainless Steel, Stainless Steel

Installation Diagram





NOTES:

- 1. Allow at least 22" (55.9cm) clearance in front of oven for door depth when it is open.
- Dimension G (cutout depth) is critical to the proper installation of the built-in oven. If the oven decorative trim does not butt against the cabinet verify dimension G to assure it is the required depth.
- For a cutout height greater than the maximum (H), add one 2"(5 cm) wide wood shim of appropriate height to each side of the opening under the appliance side rails. A trim kit may be purchased through a dealer, service, or on the brand website.

		PRODUCT DI	MENSIONS		
Α	В	С	D		Е
30" (76.2 cm)	42" (106.6 cm)	28½6" (72.2 cm)	25¾ ₆ " (63.9 cm)		41¾6" (104.6 cm)
	CUTO	OUT DIMENSIONS	AND CABINET	WIDTH	
F			Н		
Min.	Max.	G. Min.	Min.	Max.	1
28 ¹ / ₂ " (72.4 cm)	28¾" (72.9 cm)	235/8" (60.0 cm)	41 ¹ / ₄ " (104.6 cm)	42 ¹ / ₈ " (107.0 cm)	30 ¹ / ₈ " (76.5 cm) Min