# MOLF

#### OG36

#### **FEATURES**

Two individually contained 25,000 Btu grill burners deliver exceptional high to low control

Have it built-in or make it a free-standing cart

Gain nuanced control and more taste from the direct and radiant heat provided by ceramic briquettes

Designed with a stainless-steel cover

Grill any time of day with LED-lit signature Wolf red control knobs

The two position rotisserie handles dishes large and small with a 14,000 Btu infrared burner

Resists the elements with its heavy-duty, all-weather stainless-steel construction

Using our easy-open, double-wall hood provides more heat for more efficient grilling

Illuminates your grilling surface with two powerful halogen lights

Eliminates the need for a pilot light with electric hot surface ignitors

Powerful 25,000 Btu infrared sear zone is perfect for searing in delicious flavor for mouthwatering results

# **ACCESSORIES**

18" Access Door - Left Hinge

18" Access Door - Right Hinge

30" Access Doors

36" Access Doors

36" Grill Liner

42" Access Doors

54" Access Doors

Black Knobs

Built-In Cover

Cart Cover

Combo Door and Drawer

Double Storage Drawer

Double Trash/Recycling Drawer

Griddle Plate

Outdoor Grill Cart

Paper Towel Drawer

Rotisserie Conversion


Short Dry Storage

Single Drawer Storage

Single Trash/Recycling Drawer

Tall Dry Storage - Left Hinge

Tall Dry Storage - Right Hinge



#### **KNOB OPTIONS**





# **GRILL SPECIFICATIONS**

- Halogen lighting
- · External reading thermometer
- Rotisserie
- 3 removable stainless steel burner grate; 1 warming rack
- · Removable drip tray

Friple Storage Drawer	
rash/Recycling Drawers	
Access Doors	
Dry Storage	
Accessories available through an authorized dealer. For local dealer information, visit <a href="mailto:subzero-wolf.com/locator">subzero-wolf.com/locator</a> .	


Specifications are subject to change without notice. This information was generated on January 30, 2024. Verify specifications prior to finalizing your cabinetry/enclosures.



# PRODUCT SPECIFICATIONS


Model	OG36	
Dimensions	36"W x 27"H x 30"D	
Weight	249 lbs	
Electrical Supply	120 VAC, 60 Hz	
Electrical Service	15 amp dedicated circuit	
Gas Supply	3/4" ID line	
Gas Inlet	1/2" NPT female	
Power Cord Length	5 Feet	
Receptacle	3-prong grounding-type	

# ELECTRICAL PLUMBING GAS




NOTE: Dimensions in parenthesis are in millimeters unless otherwise specified

# **DIMENSIONS**



# **NON-COMBUSTIBLE INSTALLATION**



FRONT VIEW

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.