



Front Load Perfect Steam™ Washer with LuxCare® Plus Wash and SmartBoost® - 4.5 Cu. Ft.

Front Load Washer

Available Products: ELFW7738AA, ELFW7738AW, ELFW7738MW

Available Colors: Alpine, White, Matte White

Version: 08/25

Product Specifications

Washer

Drum Light	Yes
Drum Material	Stainless Steel
Maximum Spin Speed	1300 RPM
Water Heater	Yes
Water Level Adjustment	Yes

Washer Options

Allergen	Yes
Cold Sanitization	Yes
Delay Start Time	1-12 Hours
Extra Rinse	Yes
Perfect Steam	Yes
Pure Rinse	Yes
Stain Soak	Yes

Washer Spin Speeds

Spin Speed Selections	5
Max	Yes
High	Yes
Medium	Yes
Low	Yes
No Spin	Yes

Temperature Settings

Eco Cold	Yes
Cool	Yes
Warm	Yes
Hot	Yes
Sanitize	Yes

Dispenser

Bleach Dispenser	Yes
Detergent Dispenser	Yes
Fabric Softener Dispenser	Yes
Prewash Detergent Dispenser	Yes
PODs Dispenser	Yes

Exterior

Door Latch	Yes
Reversible Door	Yes

Washer Cycles

Cycle Count	11
Activewear	Yes
Clean Washer	Yes
Cold Wash	Yes
Colors	Yes
Delicates	Yes
Fast Wash	Yes
Heavy Duty	Yes
Normal	Yes
Optic Whites	Yes
Rinse and Spin	Yes
Towels	Yes

Soil Levels

Extra Light	Yes
Light	Yes
Normal	Yes
Heavy	Yes
Solid Soil	Yes

Controls

Cancel	Yes
Control Lock	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes

Dimensions and Volume

Height	38"
Width	27"
Depth	32"
Washer Drum Capacity	4.5 Cu. Ft.

Energy Data

Integrated Modified Energy Factor	3.2
Integrated Water Factor	2.6
kWh/cycle	0.29 kWh
kWh/year	74 kWh
Water Usage/Year	3452 Gallons

Front Load Perfect Steam™ Washer with LuxCare® Plus	5505
Wash and SmartBoost® - 4.5 Cu. Ft.	
Available Products: ELFW7738AA, ELFW7738AW, ELFW7738MW	
Available Colors: Alpine, White, Matte White	
Version: 08/25	

Electrical Specifications

Minimum Circuit Required	15 Amps
Voltage Rating	120 V

Installation

Optional Pedestal	Yes
Power Cord Included	Yes
Stackable	Yes

Performance Certifications and Approvals

CEE Tier	Tier 3
ENERGY STAR Certified	Yes
ENERGY STAR Most Efficient	Yes
High Efficiency	Yes

General Specifications


Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Motor	10 Years
Warranty - Parts	1 Year
Warranty - Tub	Lifetime

Safety Certifications and Approvals

NSF Certified	Yes
Sanitization and Allergy Reduction	Yes
UL Listed	Yes

Installation Diagram

Washer dimensions



*Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

¹Power supply cord length on washer approximately 60 inches (152.5 cm).

²Drain hose length on washer approximately 59 inches (150 cm).

³Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).