QUICK REFERENCE GUIDE > RGV3-486GD-L Date: 11.09.2025 > 1

48" Series 7 Professional 6 Burner with Griddle Gas Range, LPG

Series 7 | Professional



With Professional styling, this large range has six burners delivering powerful high heat, a griddle and two gas ovens.

- Griddle with burners that deliver up to 17,000 BTU heat per burner, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes
- · Made from quality materials and real stainless steel

DIMENSIONS

Height 35 3/4 - 36 3/4 "

Width 47 7/8 "

Depth 29 1/8 "

FEATURES & BENEFITS

Generous Capacity

Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey. The griddle plate allows you to cook several foods at once.

Cooktop Power

Sealed Dual Flow Burners™ deliver cooktop power up to 17,000 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

Cooking Flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

Design Quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

Easy To Clean

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

Total Control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Burner ratings

Maximum burner power	17000 BTU
Power back centre	13000BTU
Power back left	13000BTU
Power back right	13000BTU
Power front centre	15000BTU
Power front left	17000BTU
Power front right	15000BTU
Power griddle	15000BTU
Total cooktop power	101000 BTU

Capacity

Shelf positions (main oven)	5
Shelf positions (second oven)	5
Total capacity (main oven)	5.3 cu ft
Total capacity second oven	2.4 cu ft
Usable capacity (main oven)	3.9 cu ft

Cleaning

Easy clean porcelain basepan

Controls		Infrared Broiler	•	Rangetop features	
Metal illuminated dials	•			Sealed range top	•
		Oven functions		Vent trim included	•
Gas Requirements		Bake	•		
Fitting and pipe	½ NPT, min. %″ 🛚	Broil	•	Recommended Back Guards Ventilation	
	flex line	Convection bake	•	Combustible situation	BGRV3-3048H
Supply Pressure (LPG)	11" to 14" W.C	Number of functions	4	Non combustible situation	BGRV2-3048 /
		Slow cook	•		BGRV2-1248
Main array factoring				Recommended hood	HCB48-12_N (48" Professional
Main oven features					Range Hood,
Broil pan	•	Oven performance			Dual Blower)
Electronic oven control	•	Bake power	19700BTU		
Full extension telescopic racks	•	Broil	18500 BTU	Safety	
Infrared broiler	•	Secondary oven - Bake power	18000BTU	•	
Internal light	•			ADA compliant	•
		Power Requirements			
Main oven functions		Connection	3-prong	Secondary oven features	
Bake	•		grounding type	3/4 Extension racks	2
Broil	•	Camila	plug	Electronic oven control	•
Convection bake	•	Service	15 A	Internal light	•
Number of oven functions	4	Supply frequency	60 Hz		
Slow cook	•	Supply voltage	120 V		
			_	Secondary oven functions	
	_	Product Dimensions		Bake	•
Oven features		Donth	29 1/8 "	Convection bake	•
Auto re-ignition system	•	Depth Height	29 1/8 35 3/4 - 36 3/4 "	Number of secondary oven functions	4
Broil pan	•	Width		Proof	•
Electronic oven control	•	wiath	47 7/8 "	Slow cook	•
Full extension telescopic sliding shelves	•				

QUICK REFERENCE GUIDE > RGV3-486GD-L Date: 11.09.2025 > 3

SKU 82936

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

ArchiCAD Gas Range

↓ Installation Guide EN

↓ Installation Guide FR

Planning Guide Professional Style Dial/Handle Accessories

↓ Revit

↓ Rhine

Right To Repair Declaration (English, French)

↓ SketchUp

↓ User Guide EN

↓ User Guide FR

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com