# FRIGIDAIRE



30" Rear Control Gas Range with Total Convection

Gas Range

Available Products: GCRG3060BD, GCRG3060BF

Available Colors: Black Stainless Steel, Stainless Steel

Version: 10/25

# **Product Specifications**

Controls Function een Continuous Bake Setting or 12-Hour ng Feature e Yes renheit or Celsius ol Panel  Face Type all Cast Iron ty 2 Individual riddle Included ter Grate Ers Yes ro Burners  Solution  Type  Integrated Storage
renheit or Celsius  face Type  face Type  al  Cast Iron  ty  Individual  riddle Included  yes  ter Grate  5304535284  yes  r of Burners  5  Integrated
renheit or Celsius Pes I Panel Yes  face Type Gas al Cast Iron ty 2 Individual riddle Included Yes ster Grate S304535284 Pers Yes r of Burners  Integrated
face Type Gas al Cast Iron ty 2 Individual riddle Included Yes ter Grate 5304535284 ers Yes r of Burners 5
face Type  al  Cast Iron  ty  2  Individual  riddle Included Yes  ster Grate 5304535284  ers Yes  r of Burners  Integrated
al Cast Iron ty 2 Individual riddle Included Yes ter Grate 5304535284 ers Yes r of Burners 5
al Cast Iron ty 2 Individual riddle Included Yes ter Grate 5304535284 ers Yes r of Burners 5
al Cast Iron ty 2 Individual riddle Included Yes ter Grate 5304535284 ers Yes r of Burners 5
ty 2 Individual riddle Included Yes ater Grate 5304535284 ers Yes r of Burners 5
Individual riddle Included Yes ster Grate 5304535284 res Yes r of Burners 5
riddle Included Yes  ster Grate 5304535284  res Yes  r of Burners 5
ster Grate 5304535284 ers Yes r of Burners 5
ster Grate 5304535284 ers Yes r of Burners 5
ers Yes r of Burners 5  fle Style Integrated
r of Burners 5  fle Style Integrated
Storage
ntion Rear
face Color White
lace Color Wille
C 'f' .
Specifications
rcuit Required 12 Amps
ng 120 V
pecifications
el Yes
abor 1 Year
arts 1 Year
Information available at
frigidaire.com/en/ab1200
Repair Details
Partially Available - Visit

5513

Available Products: GCRG3060BD, GCRG3060BF

Available Colors: Black Stainless Steel, Stainless Steel

Version: 10/25

	-					
ſ	1	*	71	Ω	ľ	n

Bake Element	18000 BTU
Broil Element	1400 Watts
Broil Element Pass	6
Broil System	Yes
Cleaning System	Yes
Convection	Yes
Convection Element	1000 Watts
Convection Type	Total
Number of Convection Fans	1
Number of Rack Positions	6
Oven Interior Color	Midnight Black
Oven Light Quantity	1
Oven Light Type	Halogen
Oven Light Watts	40 Watts
Rack Position Type	Embossed
Rack Type 1	Flat
Rack Type 1 Quantity	2

## **Cooktop Performance**

Right Front Element Burner	18000 BTU
Right Rear Element Burner	5000 BTU
Left Front Element Burner	14000 BTU
Left Rear Element Burner	10000 BTU
Center Rear Element Burner	10000 BTU

## **Controls**

Control Lock	Yes
Sabbath Mode	Yes

#### **Dimensions and Volume**

Minimum Height	46 3/4"
Maximum Height	47 3/4"
Width	30"
Depth	26"
Depth With Door 90° Open	47 5/16"
Depth With Handle	28 1/2"
Oven Interior Height	17 5/8"
Oven Interior Width	25 3/16"
Oven Interior Depth	19 7/8"
Oven Capacity	5.1 Cu. Ft.

#### Installation

Adjustable Leveling Legs	Yes
Power Cord Included	Ves

#### **Safety Certifications and Approvals**


Juicely Continued	The state of the s		
CSA Listed		Yes	

Available Products: GCRG3060BD, GCRG3060BF

Available Colors: Black Stainless Steel, Stainless Steel

Version: 10/25

# **Installation Diagram**



\*30" (762 mm) MINIMUM CLEARANCE BETWEEN THE TOP OF THE COOKING SURFACE AND THE BOTTOM OF AN UNPROTECTED WOOD OR METAL CABINET; OR 24" (610 mm) MINIMUM WHEN BOTTOM OF WOOD OR METAL CABINET IS PROTECTED BY NOT LESS THAN 1/4" (6 mm) FLAME RETARDANT MILLBOARD COVERED WITH NOT LESS THAN NO. 28 MSG SHEET STEEL, 0.015" (0.4 mm) STAINLESS STEEL, 0.024" (0.6 mm) ALUMINUM OR 0.020" (0.5 mm) COPPER. 0" (0 mm) CLEARANCE IS THE MINIMUM FOR THE REAR OF THE RANGE. FOLLOW ALL DIMENSION REQUIREMENTS PROVIDED ABOVE TO PREVENT PROPERTY DAMAGE, POTENTIAL FIRE HAZARD, AND INCORRECT COUNTERTOPAND CABINET

