QUICK REFERENCE GUIDE > OR36SCG4X1

36" Series 7 Classic 5 Burner Gas Range

Series 7 | Classic




Make your range a focal point. With a large capacity oven and five burners, this is the perfect way to cook for a crowd.

- Five burner gas cooktop, including one dual ring and two triple ring wok burners
- Gas oven with 4.9 cu ft total capacity and three functions including Bake and Broil

DIMENSIONS

Height	35 3/4 - 37 1/4 "
Width	35 7/8 "

Depth 25 1/4 "



FEATURES & BENEFITS

Design Quality

This range has been carefully crafted in every detail from performance to durability using quality materials including the balanced soft-close door and rounded hob rail.

Large Capacity Oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once, with enough room to fit a 32 lb turkey.

Performance Power

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.

Easy cleaning

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Accessories (included)

2-pc grill system (Broil pan and Grill rack)

Broil pan

Chromed shelf runners

1 set

Full extension telescopic shelves

2 sets (part 578744)

Grill rack

TRUE

onii rack i ko

Small pot support 1 (part 533981

cast)

Accessories (sold separately)

Kick strip, black (optional)

Kick strip, red (optional)

Kick strip, stainless steel (optional)

Kick strip, white (optional)

Kick strip, white (optional)

Kickor36X1

Kick strip, white (optional)

Kickor36W1

Wok grate included

Yes

Burner ratings

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
Maximum burner power	18000 BTU
Semi-rapid burner (LPG)	7600BTU
Semi-rapid burner (natural gas)	8000BTU
Total cooktop power	62000 BTU

Triple ring wok burner (LPG) x2	6100 - 12000BTU
Triple ring wok burner (natural gas) x2	6100 - 14000BTU
Capacity	
Shelf positions	7
leaning	
Acid resistant graphite enamel	
Removable oven door	•
Removable shelf runners	•
ontrols	
aser etched graphics	•
ias Requirements	
Supply Pressure (LPG)	11" W.C.P
Supply Pressure (natural gas)	4" W.C.P
Oven features	
Auto re-ignition system	•
Concealed element	•
Convection	•
Electronic ignition	•
Full extension telescopic sliding shelves	•
Soft open/close door	•
Storage drawer	•

Bake	
Broil	
Convection bake	
Number of functions	3
Number of functions	
Oven performance	
Bake power	17000 BTU
Broil	13000 BTU
CoolTouch door	Quadruple glazed
Power Requirements	
Amperage	15 A
Amperage Supply frequency	15 A 60 Hz
Supply frequency Supply voltage	60 Hz
Supply frequency Supply voltage	60 Hz
Supply frequency Supply voltage Product Dimensions	60 Hz 120 V
Supply frequency Supply voltage Product Dimensions Depth	60 Hz 120 V 25 1/4 "
Supply frequency Supply voltage Product Dimensions Depth Height	60 Hz 120 V 25 1/4 " 35 3/4 - 37 1/4 "
Supply frequency Supply voltage Product Dimensions Depth Height Width Rangetop features	60 Hz 120 V 25 1/4 " 35 3/4 - 37 1/4 "
Supply frequency Supply voltage Product Dimensions Depth Height Width	60 Hz 120 V 25 1/4 " 35 3/4 - 37 1/4 "

ADA compliant Advanced cooling system Anti-tilt bracket Balanced oven door Full extension telescopic shelves • 2 sets (part

Safety

	578744)
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	219.53 L
Spill containment	5/8 gallon

SKU 81701

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

Revit Gas Cooktop

Rhino Gas Cooktop

Right To Repair Declaration (English, French)

User Guide Freestanding Range EN

QUICK REFERENCE GUIDE > OR36SCG4X1

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com