



seit 1883

## 28" 14.0 cu.ft. Counter-Depth Bottom Freezer Refrigerator, Pocket Handle, Ice Maker, ENERGY STAR®

### **BRFB1542SS**







### **Key Features & Benefits**

#### **Automatic Ice Maker**

Say goodbye to those last-minute trips for ice. With the Automatic Ice Maker, you'll always have plenty on hand for you and your guests.

#### **Fingerprint Free Stainless Steel**

Keep your kitchen looking beautiful with easy-to-clean Fingerprint-Free Stainless Steel—say goodbye to fingerprints and smudges!

### **Counter-Depth**

These Counter-Depth Refrigerators are designed to blend seamlessly with your countertop, featuring hidden hinges and discreet, tucked-away feet for a truly built-in look and feel.

### **Duo Cycle Frost Free Cooling**

Duo Cycle Frost-Free Cooling maintains consistent air temperature and humidity in both the freezer and fresh food compartments, ensuring optimal food preservation and maximum energy efficiency.

GENERAL PROPER	TIES			
Туре	Free Standing			
Style	Counter Depth			
Exterior Finish	Fingerprint Free Stainless Steel			
Reversible Door Hinge	Yes			
Door Configuration - Freezer	Swing Door			
Cooling System	Duo Cycle Frost Free Cooling			
Water Filter	N/A			
Control Type	Electronic Controls			
Display Type	Digital LED Display			
Display Location	Side Wall			
Compressor	Variable Speed VCC			
Automatic Ice Maker	Yes			
Internal Water Dispenser	No			
Freezer Guard – Garage Ready	Yes			
FRESH FOOD SECTION FEATURES				
Defrost Process	Frost Free			
Lighting	LED - Top Ceiling & Side Wall			
Modes	Quick Cool, Vacation, Sabbath			
# of Shelves	4 - Full Depth			
# of Adjustable Shelves	3 - Adjustable			
Shelf Material	Safety Glass			
# of Door Bins	3			
# of Gallon Sized Door Bins	None			
Dairy Compartment	No			
Full Width Drawer	No			
Humidity Controlled Crispers	1 - Full Width (Humidity Controlled)			
FREEZER SECTION FE	-			
Defrost Process	Frost Free			
# of Drawers / Baskets / Bins	2 Removable Drawers			
Lighting	No			
Ice Cube Tray	No			
CAPACITY				
Total Capacity	13.80 cu. ft.			
Fresh Food Capacity	9.97 cu. ft.			
Freezer Capacity	3.83 cu. ft.			
TECHNICAL DETAILS				
Rated Current	1.25 A			
Minimum Circuit Breaker Size	15 Amps			
Volts	120 V			
Frequency	60 Hz			
Power Cord Length	6 ft.			
Plug Type	NEMA 3-Prong			
Sound Level	40 dBA			
DIMENSIONS & WE				
Appliance Dimensions (H x W x D)	67 11/16" x 27 9/16" x 26 3/8"			
Minimum Clearance Needed - Top	2"			
Minimum Clearance Needed - Sides	1 9/16"			
Minimum Clearance Needed - Back	2"			
Product Weight	174 lbs.			
EFFICIENCY EFFICIENCY				
ENERGY STAR® Certified	Yes - Most Efficient			
Energy Consumption	415 kwh/year			












## 28" 14.0 cu.ft. Counter-Depth Bottom Freezer Refrigerator, Pocket Handle, Ice Maker, ENERGY STAR®

**BRFB1542SS** 

### **Dimensions and Installation**







*Drawers can be
pulled out with
door open 90°

1 YEAR	2 YEARS	5 YEARS	
FULL WARRANTY	PARTS WARRANTY	SEALED SYSTEM	

NOTE TO THE INSTALLER: All height, width and depth dimensions are shown in inches (as well as metric). Beko Canada Inc. and Beko US Inc., reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website (Canada) www.blombergappliances.ca / (USA) www.blombergappliances.com or call (Canada) 855-643-2356 / (USA) 888-352-2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.









# 28" 14.0 cu.ft. Counter-Depth Bottom Freezer Refrigerator, Pocket Handle, Ice Maker, ENERGY STAR®

**BRFB1542SS** 


### Dimensions and Installation



### **Electrical**



### **Plumbing**



Required Minimum Clearances:

Top: 2"

Sides: 1 9/16" on each side

Back: 2"