FRIGIDAIRE.



30" Front Control Gas Range with Quick Boil

Gas Range

Available Products: FCFG3062AB, FCFG3062AS, FCFG3062AW

Available Colors: Black, Stainless Steel, White

Version: 10/25

Product Specifications

Cooking Controls		Cooking Controls Function	
Bake	Yes	Change between Continuous Bake Setting or 12-Hour	Yes
Broil	Yes	Energy Saving Feature	ies
Child Lock	Yes	Delayed Bake	Yes
Clock	Yes	Program Fahrenheit or Celsius	Yes
Cook Time	Yes	Silent Control Panel	Yes
Delay Start	Yes		
Keep Warm	Yes	Cooktop	
Kitchen Timer	Yes	Cooking Surface Type	Gas
Off	Yes	Grate Material	Cast Iron
Oven Light	Yes	Grate Quantity	3
Preheat	Yes	Grate Style	Continuous
Start	Yes	Sealed Burners	Yes
Steam Clean	Yes	Total Number of Burners	5
Temperature Display	Yes		
Timer On / Off	Yes	Drawer	
Up / Down Arrow	Yes	Drawer Type	Storage
		Brainer Type	Storage
Oven		Dimensions and Volume	
Bake Element	17000 BTU	Minimum Height	35 5/8"
Broil Element	1400 Watts	Maximum Height	36 3/8"
Cleaning System	Yes	Width	30"
Number of Rack Positions	6	Depth	26"
Oven Interior Color	Midnight Black	Depth With Door 90° Open	47 1/4"
Oven Light Quantity	1	Depth With Handle	28 1/2"
Oven Light Type	Halogen	Oven Interior Height	17 5/8"
Oven Light Watts	40 Watts	Oven Interior Width	25 3/16"
Rack Position Type	Embossed	Oven Interior Depth	19 7/8"
Rack Type 1	Flat	Oven Capacity	5.1 Cu. Ft.
Rack Type 1 Quantity	2		0.12 0.01 1.0
		 Installation	
Cooktop Performance		Adjustable Leveling Legs	Yes
Right Front Element Burner	18000 BTU	rajasmore nevening negs	100
Right Rear Element Burner	5000 BTU	Cartifications and Approvals	
Left Front Element Burner	14000 BTU	Certifications and Approvals	Voc
Left Rear Element Burner	10000 BTU	ADA Compliant	Yes
Center Rear Element Burner	10000 BTU		
		Right to Repair Details	D 1 H 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Display			Partially Available - Visi
	F	Right to Repair	frigidaire.ca/right-to-
Control Location	Front	ragin to repair	repair for more

Capacitive Touch

Display Type

30" Front Control Gas Range with Quick Boil

Available Products: FCFG3062AB, FCFG3062AS,
FCFG3062AW

Available Colors: Black, Stainless Steel, White

Electrical Specifications

Version: 10/25

Electrical Specifications	
Amps @ 120 Volts	12 Amps
Voltage Rating	120 V
General Specifications	
Frigidaire Fit Promise	Yes
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year
AB-1200	Information available at frigidaire.com/en/ab1200
Safety Certifications and Approval	S
CSA Listed	Yes


Available Products: FCFG3062AB, FCFG3062AS,

FCFG3062AW

Version: 10/25

Available Colors: Black, Stainless Steel, White

Installation Diagram



*30" (762 mm) MINIMUM CLEARANCE BETWEEN THE TOP OF THE COOKING SURFACE AND THE BOTTOM OF AN UNPROTECTED WOOD OR METAL CABINET; OR 24" (610 mm) MINIMUM WHEN BOTTOM OF WOOD OR METAL CABINET IS PROTECTED BY NOT LESS THAN 1/4" (6 mm) FLAME RETARDANT MILLBOARD COVERED WITH NOT LESS THAN NO. 28 MSG SHEET STEEL, 0.015" (0.4 mm) STAINLESS STEEL, 0.024" (0.6 mm) ALUMINUM OR 0.020" (0.5 mm) COPPER. 0" (0 mm) CLEARANCE IS THE MINIMUM FOR THE REAR OF THE RANGE. FOLLOW ALL DIMENSION REQUIREMENTS PROVIDED ABOVE TO PREVENT PROPERTY DAMAGE, POTENTIAL FIRE HAZARD, AND INCORRECT COUNTERTOP AND CABINET CUTS.

