36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC





RGM8658UC Stainless Steel

The six burner 36" stainless steel slide-in gas rangetop provides the look and features of a commercial-style appliance.

Features & Benefits

Six powerful gas burners allows you to cook multiple dishes with full range BTU performance.

Dual flame power burner delivers two heat options, from full power heat-up to delicately low simmer.

Heavy-duty continuous surface grates can be easily cleaned in the dishwasher.

OptiSim® burner - offers more flame control at the lowest settings for precise simmering.

Stainless steel exterior front and large metal control knobs offers a bold distinct look.

General Properties	
No. of burners	6
Knob material	Metal
Control location	Up front
Sealed burners	Yes
Ignition system	Electric; flame failure device
Cooktop surface material	Porcelain coated steel
Grate material	Cast iron
Grate features	Continuous grates; dishwasher safe
Burner Performance	
Total BTU load (NG / LP)	77,000 / 77,000
Total BTU load (NG / LP) Power of front left burner (NG / LP) Dual-flame	77,000 / 77,000 18,000 / 18,000 BTU
Power of front left burner (NG / LP)	18,000 / 18,000
Power of front left burner (NG / LP) Dual-flame Power of back left	18,000 / 18,000 BTU 12,000 / 12,000
Power of front left burner (NG / LP) Dual-flame Power of back left burner (NG / LP) Power of front center	18,000 / 18,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000
Power of front left burner (NG / LP) Dual-flame Power of back left burner (NG / LP) Power of front center burner (NG / LP) Power of back center	18,000 / 18,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000 BTU 12,000 / 12,000

Technical Details	
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3-prong
Power cord length	60"
Fuel type	Natural Gas (factory set)
Convertible to LP (kit required)	Yes
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	7 1/2" x 35 15/16" x 26 5/8"
Required cutout size (HxWxD)	7 3/8" x 36" x 24"
Minimum distance from side wall	20"*
Net weight	78 lbs
Accessories – Included	
Included	LP conversion kit, OptiSim® cap
Accessories — Optional	



HEZ9GR41UC Griddle



HEZ7YZ36UC 9" backguard for 36" Rangetop (stainless steel)





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


[†] To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation. * If one side has a minimum distance of 28" (711 mm) to the wall, the other distance can be minimum 12" (305 mm) to the wall.

36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC



Installation Details




36" Gas Slide-in Rangetop

800 Series - Stainless Steel RGM8658UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.